

# Desktop Indoor Air Quality CO<sub>2</sub> Monitor/Datalogger

**Measures Carbon Dioxide (CO<sub>2</sub>), Air Temperature and Humidity**  
Datalogs up to 5333 points for each parameter

## Features:

- Checks for Carbon Dioxide (CO<sub>2</sub>) concentrations
- Maintenance free NDIR (non-dispersive infrared) CO<sub>2</sub> sensor
- Indoor Air Quality displayed in ppm with Good (380 to 420ppm), Normal (<1000ppm), Poor (>1000ppm) indication
- User programmable High/Low Visible and Audible CO<sub>2</sub> warning alarms
- Measurement ranges:  
CO<sub>2</sub>: 0 to 9,999ppm  
Temperature: 14 to 140°F (-10 to 60°C)  
Humidity: 0.1 to 99.9%RH
- Displays Year, Month, Date, and Time
- Max/Min CO<sub>2</sub> value recall function
- Automatic Baseline Calibration (minimum CO<sub>2</sub> level over 7.5 days) or manual calibration in fresh air
- Complete with Universal AC adaptor, software and cable


## Applications:

- Monitor air quality in schools, office buildings, greenhouses, factories, hotels, hospitals and anywhere that high levels of carbon dioxide are generated

**Test Equipment Depot**  
1-800-517-8431

99 Washington Street  
Melrose, MA 02176  
Phone 781-665-1400  
Toll Free 1-800-517-8431

Visit us at [www.TestEquipmentDepot.com](http://www.TestEquipmentDepot.com)



## Ordering Information:

**C0210** .....Desktop Indoor Air Quality CO<sub>2</sub> Monitor/Datalogger

| Specifications                    |                                      |
|-----------------------------------|--------------------------------------|
| Carbon Dioxide (CO <sub>2</sub> ) | 0 to 9,999ppm                        |
| Resolution                        | 1ppm                                 |
| Temperature                       | 14 to 140°F (-10 to 60°C)            |
| Resolution                        | 0.1°F/°C                             |
| Humidity                          | 0.1 to 99.9%                         |
| Resolution                        | 0.1%                                 |
| Datalogging                       | Up to 5333 points for each parameter |
| Dimensions                        | 4.6 x 4 x 4" (117 x 102 x 102mm)     |
| Weight                            | 7.2oz (204g)                         |

