





Benchmark 

BEADBUG™ 6

MICROTUBE HOMOGENIZER

-  **Fast, efficient bead homogenization**
-  **Process up to six samples simultaneously**
-  **Sealed tubes - no cross contamination**
-  **Full range bead materials and sizes available to process a wide variety of sample types**



BEADBUG™ 6

MICROTUBE HOMOGENIZER

Test Equipment Depot

 1-800-517-8431

99 Washington Street
 Melrose, MA 02176
 Phone 781-665-1400
 Toll Free 1-800-517-8431

Visit us at www.TestEquipmentDepot.com

The *BeadBug™ 6* joins the large capacity *BeadBlaster™ 24* and personal sized *BeadBug™* as the newest member of the Benchmark homogenizer line.

Like the other members of the Benchmark Microtube Homogenizer family, the *BeadBug 6* utilizes a three dimensional shaking motion to disrupt samples. This motion, when combined with beads of the appropriate size and material, causes high velocity impacts with the sample and is an extremely fast and efficient method for releasing cellular contents, including nucleic acids and proteins.

Many different sample types, from cells in culture to organ tissues and bone can be homogenized in the *BeadBug 6*, most within 45 seconds. Programming the unit is very simple - just set the speed, time, number of cycles and pause between cycles, then press start. For convenience, the last programmed parameters remain in memory for repeated runs.

Sealed tubes prevent cross contamination in the *BeadBug 6*. Samples are simply loaded into the tubes along with the beads and placed in the unit for processing. After homogenization, tubes are spun briefly in a centrifuge, and the lysate removed with a pipette.

Designed to fit the needs of medium throughput laboratories, the *BeadBug 6* can simultaneously process up to six samples in 2.0ml tubes. With optional adapters, the unit will also accept two 5.0ml tubes. A full range of bead materials and sizes are available in both prefilled tubes and in bulk to meet all your sample processing needs.



Technical Data

Capacity	6 x 2.0ml or 2 x 5.0ml*
Speed	4.00 to 7.00m/s in 0.05 increments
Cycle time	0-90 seconds in 1 sec increments
Pause between cycles	0-90 seconds in 1 sec increments
Number of cycles	1-10
Acceleration/Deceleration	≤2 seconds
Noise level	<65db
Ambient operating temp.	+4° to 45°C
Dimensions (WxDxH)	22x35.5x20.5cm/8.6x14x8 in
Weight	9kg/20 lbs
Electrical	100-240V, 50-60 Hz
Warranty	2 years

*Requires 5ml adapters, sold separately

Ordering Information

D1036*	<i>BeadBug 6</i> Microtube Homogenizer
D1036-A5	5ml adapters for <i>BeadBug 6</i> , set of 2
Tube Kits, prefilled with screw cap, 50 tubes/pack	
D1032-01	Triple-Pure Zirconium, Ø 0.1mm, 2ml
D1032-05	Triple-Pure Zirconium, Ø 0.5mm, 2ml
D1032-10	Triple-Pure Zirconium, Ø 1.0mm, 2ml
D1032-15	Triple-Pure Zirconium, Ø 1.5mm, 2ml
D1032-30	Triple-Pure Zirconium, Ø 3.0mm, 2ml
D1033-28	Stainless steel, Ø 2.8mm, 2ml
D1032-60	Ceria based Zirconium, Ø 6.0mm, 2ml
D1034-MX	Mixed format for soil, 2ml
D1034-28	Stainless Steel, Ø 2.8mm, 5ml**

Empty tubes

D1031-T20	2.0ml tubes, pk of 1000
D1031-RF	2.0ml tubes, pk 100, reinforced
C1005-SC5	5.0ml tubes, pk 500

Other bead types and bulk beads available. Call for details.

*115V with US plug. For EU plug, please add -E to cat no.

** Requires the use of 5ml adapters, sold separately



Other members of the Benchmark Bead Homogenizer family:
D2400 BeadBlaster 24, 24 x 2.0ml capacity
D1030 BeadBug, 3 x 2.0ml capacity