



**Hands Tools:**

Soldapullts, Cutters, Pliers, Tweezers and Production Aids





**Test Equipment  
Depot**  
1-800-517-8431

99 Washington Street  
Melrose, MA 02176  
Phone 781-665-1400  
Toll Free 1-800-517-8431

Visit us at [www.TestEquipmentDepot.com](http://www.TestEquipmentDepot.com)

EDSYN Incorporated is proud to present a new line of hand tools and production aids for electronic assembly and repair. Being a leading manufacturer for over 40 years, Edsyn's mission is to bring innovative ideas to life through quality engineering and commitment to high performance designs dedicated to suit customer needs.

In the following pages, you will find a wide variety of Edsyn Soldapullts, hand tools, cutters, pliers, tweezers and other production aids that fit most any assembly and rework requirement. You will also find alternatives to popular brands of European tools at substantial savings. Whether it's from our high quality line of US made tools or from our value line of tools, you are sure to find the perfect tool for a perfect job at any budget.



EDSYN Quality

© Copyright 2008 by EDSYN, Inc. All Rights Reserved

No part of this catalog, including individual icons, may be reproduced or utilized in any form or by any means without the written permission of EDSYN, Inc.

Most products are covered by U.S. and foreign patents and pending applications.

Design, color, weight and material subject to change without notice. Tip style on tools may vary.

## TABLE OF CONTENTS

### SOLDAPULLTS

|                  |     |
|------------------|-----|
| Soldapullts..... | 4-5 |
|------------------|-----|

### TWEEZERS

|                                     |      |
|-------------------------------------|------|
| Tweezer Kits .....                  | 6    |
| Surface Mount Tweezers.....         | 7    |
| Carbon Fiber Tip Tweezers .....     | 8    |
| Cutting Tweezers.....               | 8    |
| Precision Electronic Tweezers ..... | 8-11 |
| Reverse-Action Tweezers.....        | 12   |
| Miniature Tweezers.....             | 12   |

### PLIERS

|                        |       |
|------------------------|-------|
| EDSYN Brand .....      | 13-15 |
| LARSON Brand.....      | 16    |
| EDSYN Value Brand..... | 17    |

### CUTTERS

|   |       |
|---|-------|
| EDSYN Brand Oval Head Cutters.....                  | 18-19 |
| EDSYN Brand Tapered Head Cutters.....               | 20-22 |
| EDSYN Brand Tip & Oblique Cutters.....              | 22-23 |
| EDSYN Brand Stand-Off Cutters .....                 | 23    |
| LARSON Brand Cutters .....                          | 24-26 |
| LARSON Cutters & Pliers Cross-Reference Guide ..... | 27    |
| EDSYN Value Brand Cutters .....                     | 28    |

### SCREWDRIVERS

|   |    |
|---|----|
| Phillips & Slotted Flat Head Screwdrivers ..... | 29 |
| Mini Screwdriver Sets.....                      | 30 |

### PRODUCTION AIDS .....

30-53

## SOLDAPULLTS

### SOLDAPULLTS

EDSYN got its start by introducing the original Soldapullt® hand desoldering tool. This invention revolutionized the industry 40 years ago. That innovative spirit still drives us forward. The Soldapullt® line of hand desoldering tools has grown to encompass more than 15 different models.



**DS017**

**Deluxe SOLDAPULLT®**

- "The Original" Deluxe desoldering tool
- Designed for heavy duty, high volume applications
- High efficiency, durable construction
- Retractable shaft guide for portability and easy storage
- Replacement Tip: SRT12



**PT109**

**SOLDAPULLT® III**

- Lightweight, petite barrel for smaller hands
- Replacement Tip: SRT12



**PT209**

**SOLDAPULLT® III**

- Lightweight, petite barrel for smaller hands
- PT209 is a micro-tip model
- Replacement Tip: MRT16



**US240**

**Universal SOLDAPULLT®**

- Delivers powerful vacuum impulse
- Single-handed loading system
- Adjustable loading stroke to reduce hand strain
- US240 is a micro-tip model
- Replacement Tip: MRT16



**US140**

**Universal SOLDAPULLT®**

- Delivers powerful vacuum impulse
- Single-handed loading system
- Adjustable loading stroke to reduce hand strain
- US240 is a micro-tip model
- Replacement Tip: SRT12



**US340**

**Low Static Universal SOLDAPULLT®**

- Powerful vacuum
- Low static barrel
- Single-handed loading system
- Adjustable loading stroke to reduce hand strain
- Replacement Tip: LS197

| Replacement Tip                           | SOLDAPULLT®                            |       |       |       |       |       |       |
|---|--|-------|-------|-------|-------|-------|-------|
|   | DS017                                  | PT109 | PT209 | PT309 | US140 | US240 | SS750 |
| LRT14 i.d.= .125"/3.2mm L = 2.00"/50.8mm  |  |       |       |       | ●     |       |       |
| MRT16 i.d.= .084"/2.4mm L = .536"/13.6mm  |  |       | ●     |       |       | ●     |       |
| SRT12 i.d.= .125"/3.2mm L = .536"/13.6mm  | ●                                      | ●     |       |       |       | ●     |       |
| SRT751 i.d.= .100"/2.5mm L = .875"/22.2mm |  |       |       |       |       |       | ●     |
| O-Ring                                    | Use OL 111 O-Ring Lube for Lubrication |       |       |       |       |       |       |
| OB207 (use for replacement tiplet)        |  |       |       |       |       |       | ○     |
| ODS31                                     | ○                                      |       |       |       | ○     | ○     |       |
| OSB32                                     |  | ○     | ○     | ○     |       |       |       |
| OS130                                     |  |       |       |       |       |       | ○     |

## SOLDAPULLTS



### SS750LS

#### Low Static Universal SOLDAPULLT®

- Powerful vacuum
  - Low static barrel
  - Single-handed loading system
  - Adjustable loading stroke to reduce hand strain
  - Replacement Tip: LS751
- • • • • • • • • • • • • • •



### SS350

#### Low Static Universal SOLDAPULLT®

- Powerful vacuum
  - Low static barrel
  - Single-handed loading system
  - Adjustable loading stroke to reduce hand strain
  - Replacement Tip: LS363
- • • • • • • • • • • • • • •



### AS196

#### SILVERSTAT SOLDAPULLT®

- Static safe conductive plating
  - Designed for heavy duty, high volume applications
  - High efficiency, durable construction
  - Retractable shaft guide for portability and easy storage
  - Replacement Tip: LS197
- • • • • • • • • • • • • • •



### SS343

#### Static-Safe Challenger SOLDAPULLT®

- Long tapered tip for greater visibility
  - One handed operation
  - Designed for tight, heavily populated circuit boards
  - Replacement Tip: LS915
- • • • • • • • • • • • • • •



### DSO17LS

#### Low Static Deluxe SOLDAPULLT®

- Molded from conductive material
  - High efficiency and durable construction
  - Retractable shaft guide for portability and easy storage
  - Replacement Tip: LS197
- • • • • • • • • • • • • • •

| Replacement Tip                          | SOLDAPULLT®                            |         |       |       |         |
|--|--|---------|-------|-------|---------|
|  | AS196                                  | DSO17LS | US340 | SS350 | SS750LS |
| LS197 i.d.= .125"/3.2mm L = .536"/13.6mm | ◐                                      | ◐       | ◐     |       |         |
| LS363 i.d.= .125"/3.2mm L = .536"/13.6mm |  |         |       | ◐     |         |
| LS751 i.d.= .100"/2.5mm L = .875"/22.2mm |  |         |       |       | ◐       |
| O-Ring                                   | Use OL 111 O-Ring Lube for Lubrication |         |       |       |         |
| ODS31                                    | ○                                      | ○       | ○     |       |         |
| OB207 (use for replacement triplet)      |  |         |       |       | ○       |
| OS130                                    |  |         |       | ○     | ○       |

## TWEEZERS

### TWEEZER KITS

Edsyn Tweezer Kits contain 6 of our most popular styles in both standard and ergonomic versions. Choose between our Swiss or Italian-Grade tweezer kits. All tweezers are Stainless Steel and Anti-Acid, Anti-Magnetic. All Ergonomic grips are static-safe. Red for Swiss, Green for Italian-Grade materials.

#### STATIC-SAFE-ERGONOMIC



##### EP-SA-I-KIT1

Italian-Tweezer Kit (Set of 6)

Kit includes EP00-SA, EP2A-SA, EP3C-SA, EP5-SA, EP7-SA and EPAA-SA



##### EP-EG-I-KIT1

Static-Safe Italian-Grade Ergonomic Tweezer Kit (Set of 6) Kit includes

EP00-SA-I-EG, EP2A-SA-I, EP3C-SA-I, EP5-SA-I EP7-SA-I and EPAA-SA-I-EG



#### STATIC-SAFE-ERGONOMIC



##### EP-SA-KIT1

Swiss Tweezer Kit (Set of 6) Kit includes EP00-SA-SW, EP2A-SA-SW, EP3C-SA-SW, EP5-SA-SW, EP7-SA-SW and EPAA-SA-SW



##### EP-EG-KIT1

Static-Safe Swiss Ergonomic Tweezer Kit (Set of 6) Kit includes EP00-SA-EG, EP2A-SA-EG EP3C-SA-EG, EP5-SA-EG, EP7-SA-EG and EPAA-SA-EG



## TWEEZERS

### SURFACE-MOUNT TWEEZERS

These Italian-Grade Surface Mount Tweezers are available in many different shapes, angles and paddle sizes. Choose the one that best fits your application. These tweezers will help in holding, positioning, and handling a wide variety of surface mount devices.


**EP103-SA**

Italian-Grade SMD Tweezers with 30° Angled Tip and Paddle-Shaped Points.  
L: 4.5" (114mm)


**EP104-SA**

Italian-Grade SMD Tweezers with Angled Tip and Paddle-Shaped Points.  
L: 4.5" (114mm)


**EP105-SA**

Italian-Grade SMD Tweezers with Straight Tips and Paddle-Shaped Points.  
L: 4.5" (114mm)


**EP106-SA**

Italian-Grade SMD Tweezers with Angled Paddle-Shaped Tips  
L: 4.5" (114mm)


**EP107-SA**

Italian-Grade SMD Tweezers with 30° Angled Tip and Paddle-Shaped Points.  
L: 4.5" (114mm)


**EP108-SA**

Italian-Grade SMD Tweezers with Straight Tips and a Groove in the Point to protect delicate parts.  
L: 4.5" (114mm)


**EP109-SA**

Italian-Grade SMD Tweezers with Straight Tips and Angled Points.  
L: 4.5" (114mm)


**EP110-SA**

Italian-Grade SMD Tweezers with Straight Tip and Grooved Points to hold parts stable.  
L: 4.5" (114mm)


**EP112-SA**

Italian-Grade SMD Tweezers with 30° Angled Tip and Paddle-Shaped Points.  
L: 4.5" (114mm)

## TWEEZERS

### CARBON TIP TWEEZERS



#### EP159A-EG

Swiss Tweezers with Carbofib Tips and Red Ergo Grips.  
Tip Dia: .019" (0.5mm)  
L: 5.0" (127mm)

#### EP159A-RT

Swiss Tweezers with Replaceable Carbofib Tips.  
Tip Dia: .11 in  
L: 5" (127mm)


#### EP159A-RT-EG

Swiss Tweezers with Replaceable Carbofib Tips and Red Ergo Grips.  
L: 5" (127mm)

#### EP169A-RT-EG

Swiss Tweezers with Replaceable Carbofib Tips and Red Ergo Grips.  
Tip Dia: .08" (2mm)  
L: 4.75" (120 mm)

### PRECISION ELECTRONIC TWEEZERS



#### EP2-MG

Swiss Medical Grade Tweezers with Tapered Tips, Fine Points.  
L: 4.75" (121mm)

#### EP2-SA-SW

Swiss Tweezers with Tapered Tips, Fine Points. L: 4.75" (121mm)

#### EP2-SA

Italian-Grade Tweezers with Tapered Tips and Medium Points.  
L: 4.75" (121mm)

#### EP2-MG-EG

Swiss Medical-Grade Tweezers with Tapered Tips, Fine Points and Blue Ergo Handle L: 4.75" (121mm)



### CUTTING TWEEZERS



#### EP15AGW

Angled Head Cutting Tweezers.  
L: 4.5" (114mm) Swiss Made

#### EP15AGW-I

Italian-Grade Angled Head Cutting Tweezers. L: 4.5" (114mm)

#### EP15AGW-EG

Angled Head Cutting Tweezers with Red Ergo Grips.  
L: 4.5" (114mm) Swiss Made

#### EP15AGW-I-EG

Italian-Grade Angled Head Cutting Tweezers with Green Ergo Grips.  
L: 4.5" (114mm)

#### EP15AGW-LF

Italian-Grade Angled Head Cutting Tweezers with Green Ergo Grips and RoHS Logo. L: 4.5" (114mm)



#### EP2A-MG

Swiss Medical Grade Tweezers with Flat Tips, Rounded Points.  
L: 4.5" (114.3mm)

#### EP2A-SA-SW

Swiss Tweezers with Flat Tips, Rounded Points. L: 4.75" (121mm)

#### EP2A-SA

Swiss Medical Grade Tweezers with Flat Tips, Rounded Points.  
L: 4.5" (114.3mm)

#### EP2A-SA-EG

Swiss Tweezers with Flat Tips, Rounded Points and Red Ergo Grips.  
L: 4.75" (121mm)

#### EP2A-SA-I-EG

Italian-Grade Tweezers with Flat Tips, Rounded Points and Green Ergo Grips. L: 4.75" (121mm)

#### EP2A-LF

Italian-Grade Tweezers with Flat Tips, Rounded Points, Green Ergo Grips and RoHS Logo.  
L: 4.75" (121mm)

## TWEEZERS

### PRECISION ELECTRONIC TWEEZERS



#### EP3-SA

Italian-Grade Tweezers with Straight Tips and Fine Points.  
L: 4.75" (120mm)

#### EP3-SA-SW

Swiss Tweezers with Straight Tips and Fine Points. L: 4.75" (120mm)

#### EP3-SA-EG

Swiss Tweezers with Straight Tips, Fine Points and Red Ergo Grips.  
L: 4.75" (120mm)

#### EP3-MG

Swiss Medical-Grade Tweezers with Straight Tips and Fine Points.  
L: 4.75" (120mm)

#### EP3-MG-EG

Swiss Medical-Grade Tweezers with Straight Tips, Fine Points and Blue Ergo Grips Handle. L: 4.75" (120mm)



#### EP4-SA-SW

Swiss Tweezers with Tapered Tips and Fine Points. L: 4.75" (120mm)

#### EP4-SA-EG

Swiss Tweezers with Tapered Tips and Fine Points and Red Ergo Grips.  
L: 4.75" (120mm)

#### EP5-SA

Italian-Grade Tweezers with Extra-Fine Tips, High Precision Points.  
L: 4.5" (114mm)

#### EP5-SA-SW

Swiss Tweezers with Extra Fine Tips and High Precision Points.  
L: 4.5" (114mm)

#### EP5-SA-EG

Swiss Tweezers with Extra-Fine Tips, High Precision Points and Red Ergo Grips. L: 4.5" (114mm)

#### EP5-SA-I-EG

Italian-Grade Tweezers with Extra-Fine Tip, High-Precision Points and Green Ergo Grips. L: 4.5" (114mm)

#### EP5-MG

Swiss Medical-Grade Tweezers with Extra Fine Tips and High Precision Points. L: 4.5" (114mm)

#### EP5-MG-EG

Swiss Medical-Grade Tweezers with Extra-Fine Tips, High Precision Points and Blue Ergo Grips  
L: 4.5" (114mm)

#### EP5-LF

Italian-Grade Tweezers with Straight Tips, Fine Points, Green Ergo Grips and RoHS Logo. L: 4.5" (114mm)



#### EP3C-SA

Italian-Grade Tweezers with Straight Tips, Fine Points L: 4.25" (108mm)

#### EP3C-SA-SW

Swiss Tweezers with Straight Tips, Fine Points. L: 4.25" (108mm)

#### EP3C-SA-EG

Swiss Tweezers with Straight Tips, Fine Points and Red Ergo Grips.  
L: 4.25" (108mm)

#### EP3-SA-I-EG

Italian-Grade Tweezers with Straight Tips, Fine Points and Green Ergo Grips. L: 4.25" (108mm)

#### EP3C-MG

Swiss Medical-Grade Tweezers with Straight Tips, Fine Points.  
L: 4.25" (108mm)

#### EP3C-LF

Italian-Grade Tweezers with Straight Tips, Fine Points, Green Ergo Grips and RoHS Logo. L: 4.25" (108mm)



## TWEEZERS

### PRECISION ELECTRONIC TWEEZERS



**EP5A-MG**

Swiss Medical-Grade Tweezers with Offset Extra-Fine Tips and High Precision Points. L: 4.5" (114mm)

**EP5A-SA-SW**

Swiss Tweezers with Offset Extra Fine Tips and High Precision Points. L: 4.5" (114mm)



**EP5B-SA-SW**

Swiss Tweezers with Oblique Angled Tips and High Precision Points. Great for microscopic work. L: 4.5" (114mm)

**EP7-MG**

Swiss Medical-Grade Tweezers with Fine Curved Tips and Precision Points. L: 4.5" (114mm)

**EP7-SA-SW**

Swiss Tweezers with Fine Curved Tips and Precision Points. L: 4.5" (114mm)

**EP7-SA**

Italian-Grade Tweezers with Fine Curved Tips and Precision Points. L: 4.5" (114mm)

**EP7-SA-EG**

Swiss Tweezers with Fine Curve Tips, Precision Points and Red Ergo Grips. L: 4.5" (114mm)

**EP7-SA-I-EG**

Italian-Grade Tweezers with Fine Curved Tips, Precision Points and Green Ergo Grips. L: 4.5" (114mm)

**EP7-LF**

Italian-Grade Tweezers with Fine Curved Tips, Precision Points, Green Ergo Grips and RoHS Logo. L: 4.5" (114mm)



**EP7B-SA**

Italian-Grade Tweezers with Curved Serrated Tips and Fine Points. L: 4.5" (114mm)

**EP7B-SA-SW**

Swiss Tweezers with Fine Curved Tips and Serrated Points. L: 4.5" (114mm)



**EPAAA-SA**

Italian-Grade Tweezers with Straight Tips and Medium Points. L: 5" (127mm)

**EPAAA-SA-SW**

Swiss Tweezers with Straight Tips and Medium Points. L: 5" (127mm)

**EPAAA-SA-EG**

Swiss Tweezers with Straight Tips, Medium Points, and Red Ergo Grips. L: 5" (127mm)

**EPAAA-SA-I-EG**

Italian-Grade Tweezers with Straight Tips, Medium Points and Green Ergo Grips. L: 5" (127mm)

**EPAAA-LF**

Italian-Grade Tweezers with Straight Tips, Medium Points, Green Ergo Grips and RoHS Logo. L: 5" (127mm)



**EP51-SA-SW**

Swiss Tweezers with Oblique Angle Tips and Extra-Fine Points. L: 4.5" (114mm)

## TWEEZERS

### PRECISION ELECTRONIC TWEEZERS



**EP65A-SA-SW**

Swiss Tweezers with Long Oblique Angle Tips and High Precision Points. L: 4.5" (114mm)




**EP231-SA**

Italian-Grade Tweezers with Straight Tips and Medium Serrated Points. L: 4.5" (114mm)



**EPAC-SA**

Italian-Grade Tweezers with Strong, Straight Tips and Medium Points. L: 4.5" (114mm)



**EPOC-SA-SW**

Swiss Tweezers with Straight Tips and Fine Points. L: 4.5" (114mm)

**EPOC-SA**

Italian-Grade Tweezers with Straight Tips and Fine Points. L: 4.5" (114mm)

**EPOC-SA-EG**

Italian-Grade Tweezers with Straight Tips, Fine Points and Red Ergo Grips. L: 4.5" (114mm)



**EPOO-SA-SW**

Swiss Tweezers with Strong Tips and Strong Points L: 4.75" (120mm)

**EPOO-SA**

Italian-Grade Tweezers with Strong Tips and Strong Points. L: 4.75" (120mm)

**EPOO-SA-EG**

Swiss Tweezers with Strong Tips and Red Ergo Grips. L: 4.75" (120mm)

**EPOO-SA-I-EG**

Italian-Grade Tweezers with Strong Tips and Strong Points and Green Ergo Grips. L: 4.75" (120mm)

**EPOO-LF**

Italian-Grade Tweezers with Strong Tips, Strong Points, Green Ergo Grips and RoHS Logo. L: 4.75" (120mm)



**EPOOD-SA-SW**

Swiss Tweezers with Strong Tips and Strong, Serrated Points. L: 4.75" (120mm)

**EPOOD-SA**

Italian-Grade Tweezers with Strong Tips and Strong, Serrated Points. L: 4.75" (120mm)



**EPSS-SA**

Italian-Grade Tweezers with Long Straight Tips and Precision Points. L: 5.3" (135mm)



**EPSSF-SA-SW**

Extra-Long Swiss Tweezers with Narrow Body and Precision Points. L: 5.5" (140mm)

**EPSSF-SA-EG**

Extra-Long Swiss Tweezers with Narrow Body & Precision Points and Red Ergo Grips. L: 5.5" (140mm)



## TWEEZERS

### REVERSE-ACTION TWEEZERS



**EPR133CA-SA**

Reverse Action Chip-Handling  
Tweezers with Black ESD Tips.



**EPR1430A-SA**

Reverse Action Chip-Handling  
Tweezers with Delrin Tips.



**EPR29-SA-MG**

Swiss Medical Grade Reverse-Action  
Tweezers with Straight Tips.  
L: 6.5" (165mm)



**EPR5-SA-MG**

Swiss Medical Grade  
Reverse-Action Tweezers with Extra  
Fine Tips and High-Precision Points.  
L: 4.5" (114mm)



**EPR7-SA-MG**

Swiss Medical Grade Reverse-Action  
Tweezers with Fine Curved Tips  
and Precision Points.  
L: 4.50" (114mm)

### MINITURE TWEEZERS



**EPM2A-SA-SW**

Miniature Swiss Tweezers with Flat  
Tips and Rounded Points.  
L: 4.75" (121mm)



**EPM3-SA-SW**

Miniature Swiss Tweezers with  
Straight Tips and Fine Points.  
L: 2.75" (70mm)




**EPM4-SA-SW**

Miniature Swiss Tweezers with  
Tapered Tips and Fine Points.  
L: 2.75" (70mm)



**EPM5-SA-SW**


Miniature Swiss Tweezers with Extra  
Fine Tips and High-Precision Points.  
L: 3.25" (82mm)



**EPMOOD-SA-SW**

Miniature Swiss Tweezers with  
Strong Tips and Strong Serrated  
Points. L: 3.50" (89mm)


# PLIERS




Regular Bevel




Flush Cut





OVAL HEAD



TAPERED HEAD



TAPERED & RELIEVED HEAD



Regular Bevel



Flush Cut



Full Flush Cut



## EDSYN CUTTERS & PLIERS

High quality precision cutters and pliers for electronics and telecommunication industries and fine mechanics.

### LARSON SERIES 3000

A high quality series of cutters and holding/forming pliers, the SERIES 3000 has a riveted box joint and comes with standard black ESD safe handles. Material: Selected high quality Swedish Steel.

### LARSON SERIES 9000

A high quality series of diagonal cutters and strippers, the SERIES 9000 is available in three different sizes, jaw shapes and cutting edges. All types come with standard black ESD safe handles and are made with a screw type precision joint.

### MANUFACTURING

All cutters and pliers are made from forged blanks. The Series 9000 pliers and cutters is shaped by an advanced grinding technique in program-controlled machines and are made with an adjustable precision joint.

The Series 3000 is produced by milling in program-controlled machines and finished by hand grinding. The tools are in a box joint design and assembled using a special riveting technique, minimizing the risk of play.

### HANDLES

All cutters and pliers have ergonomic handles and are made with black ESD safe protective material, which complies with international ESD standards.

Handles are marked with product numbers, logo-type and the letters "ESD". Cutters are marked with cutting capacity.

### SPRINGS

All cutters and pliers have specially designed return spring for precise handling and are easily replaceable if necessary.

## PLIERS

### EDSYN BRAND

All EDSYN brand pliers are made in the USA to the highest specifications. Most tools are available in both the standard length handles as well as the longer, Ergonomic handles. Just add the “-EG” to a part number for the Ergonomic version. All handles are Static-Safe, Cushion Grips.



**KP11-EG**

Static-Safe Chain Nose Plier with Smooth Jaws and Ergo Grips.  
L: 4.75" (119mm) Made in USA



**KP14-EG**

Static-Safe Extra-Long Nose Plier with Smooth Jaws and Ergo Grips.  
Jaw Length: 2.19" (56mm)  
L: 7.35" (186mm) Made in USA



**KP21**

Static-Safe Needle Nose Plier with Serrated Jaws, Beveled Edges and Cushion Grips.  
L: 4.5" (114mm) Made in USA



**KP2843**

Static-Safe Round Nose Plier.  
L: 5.3" (135 mm) Made in USA

**KP2843-EG**

Static-Safe Round Nose Plier with Ergo Grips. L: 6.13" (156mm)  
Made in USA



**KP324**

Static-Safe Slim Needle Nose Plier with Smooth Jaws.  
L: 5.36" (136mm) Made in the USA

**KP324-EG**

Static-Safe Slim Needle Nose Plier with Smooth Jaws and Grips.  
L: 6.21" (158mm) Made in USA



**KP325**

Static-Safe Slim Needle Nose Plier with Serrated Jaws.  
L: 5.36" (136mm) Made in USA

**KP325-EG**

Static-Safe Slim Needle Nose Plier with Serrated Jaws and Ergo Grips.  
L: 6.21" (158mm) Made in USA

## PLIERS

### EDSYN BRAND PLIERS

**KP44A**

Static-Safe Chain Nose Plier with Smooth Jaws. L: 4.61" (117mm)  
Made in USA

**KP44A-EG**


Chain Nose Plier with Smooth Jaws and Ergo Grips. Static-Safe, Made  
in the USA

**KP47-S**

Static-Safe Needle Nose Plier with Smooth Jaws and Black Ergo Grips.  
L: 6.13" (156mm)  
Made in USA

**KP49A-EG**

Static-Safe Chain Nose Plier with Smooth Jaws and Ergo Grips.  
L: 6.86" (174mm) Made in USA



## PLIERS

### LARSON BRAND

Pliers are made in Sweden and offer the best in European design and quality. Simple, quality products for the professional. Handles are static-safe molded plastic.



**KP3011**  
Flat Nose Plier with Smooth Jaws.  
L: 4.6" (116 mm)



**KP3021**  
Snipe Nose Plier with Smooth Jaws.  
L: 4.6" (116 mm)  
**KP3022**  
Snipe Nose Plier with Serrated  
Jaws. L: 4.6" (116mm)



**KP3023**  
Long Nose Snipe Plier with Smooth  
Jaws. L: 5" (128mm)  
**KP3024**  
Long Nose Snipe Plier with Serrated  
Jaws. L: 5" (128mm)



**KP3032**  
Bent Snipe Nose Plier with Smooth  
Jaws, Tip Bent @ 60°.  
L: 4.9" (125 mm)



**KP3041**  
Round Nose Plier. L: 4.6" (116 mm)

## PLIERS

### EDSYN VALUE BRAND

Pliers are designed with the enthusiast and occasional user in mind. EDSYN Value Brand pliers are of good quality with exceptional pricing. These pliers have static-safe molded handles.



**KP102**

Miniature Long Nose Plier with Serrated Jaws. L: 5.6" (142 mm)



**KP105**

Miniature Bent Nose Plier with Serrated Jaws. L: 5.4" (138 mm)



**KP707**

Long Nose Plier with Smooth Jaws. L: 4.9" (125 mm)



**KP709**

Chain Nose Plier with Serrated Jaws. L: 4.9" (125mm)



**KP714**

Extended Long Nose Plier with Serrated Jaws. L: 5.9" (150 mm)



**KP794**

Bent Nose Plier with Smooth Jaws. L: 3.9" (100 mm)



## CUTTERS

### EDSYN BRAND OVAL HEAD CUTTERS

The Oval Head Cutters provide the most strength and have longer service lives. This style is used for most applications. Available in three different cutting styles—Bevel, Flush and Full Flush.

See page 13 for Description of Cuts.



**KP111**

Static-Safe Oval Head Flush Cutter.  
L: 4.25" (108mm) Made in USA

**KP111-EG**

Static-Safe Oval Head Flush Cutter  
with Ergo Grips. L: 5.65" (144mm)  
Made in USA



**KP112-EG**

Static-Safe Oval Head Ultra- Flush  
Cutter with Ergo Grips.  
L: 5.65" (144mm) Made in USA



**KP410-EG**

Static-Safe Oval Head Bevel Cutter  
with Ergo Grips. L: 5.65" (144mm)  
Made in USA



**KP411-EG**

Static-Safe Oval Head Flush Cutter  
with Ergo Grips. L: 5.65" (144mm)  
Made in USA



**KP413-EG**

Static-Safe Slim Oval Head  
Flush Cutter with Ergo Grips.  
L: 5.65" (144mm) Made in USA



**KP511**

Static-Safe Oval Head Flush Cutter.  
L: 4.93" (125mm) Made in USA

**KP511-EG**

Static-Safe Oval Head Flush Cutter  
with Ergo Grips.  
L: 5.78" (147mm) Made in USA



**KP7141-EG**

Static-Safe Oval Head Flush Cutter  
with Ergo Grips. L: 5.5" (140mm)  
Made in USA



**KP7151-EG**

Static-Safe Oval Head Flush Cutter  
with Ergo Grips. L: 5.5" (140mm)  
Made in USA

## CUTTERS

### EDSYN BRAND OVAL HEAD CUTTERS



**KP7240-EG**

Static-Safe Oval Head Flush Cutter  
with Ergo Grips. L: 5.5" (140mm)  
Made in USA



**KP8130**

Static-Safe Oval Head Bevel Cutter  
with Ergo Grips. L: 4.3" (110mm)  
Made in USA



**KP8132**

Static-Safe Oval Head Full Flush  
Cutter. L: 4.3" (110mm)  
Made in USA

**KP8132-EG**

Static-Safe Oval Head Full Flush  
Cutters with Black Ergo Grips.,  
L: 5.5" (140mm) Made in USA



**KP8140**

Static-Safe Oval Head Bevel Cutter.  
L: 4.7" (119mm) Made in USA

**KP8140-EG**

Static-Safe Oval Head Bevel Cutter  
with Ergo Grips. L: 5.5" (140mm)  
Made in USA



**KP8142**

Static-Safe Full Flush Cutter with  
Oval Head for Copper Wire:  
.004in. (.1mm) - .039in.(1mm)  
L: 4.3" (110mm) Made in USA



**KP8150**

Static-Safe Oval Head Bevel Cutter.  
L: 4.7" (119mm) Made in USA



**KP8150-EG**

Static-Safe Oval Head Bevel Cutter  
with Ergo Grips. L: 5.5" (140mm)  
Made in USA



**KP8160**

Static-Safe Oval Head Bevel Cutter.  
L: 4.7" (119mm) Made in USA



**KP8160-EG**

Static-Safe Oval Head Bevel Cutter  
with Ergo Grips. L: 5.5" (140mm)  
Made in USA




**KP9160-EG**

Static-Safe Oval Head Flush Cutter  
with Ergo Grips.  
L: 6.33" (160mm) Made in USA

## CUTTERS

### EDSYN BRAND TAPERED HEAD CUTTERS

Tapered Head cutters are designed for applications that require cutting in tight quarters and getting between components or component leads.



**KP421-EG**  
Static-Safe Slim Tapered Head  
Full-Flush Cutter with Ergo Grips.  
L: 5.65" (144mm) Made in USA



**KP515**  
Static-Safe Tapered Head Flush  
Cutter. L: 4.93" (125mm)  
Made in USA



**KP620-EG**  
Static-Safe Slim Tapered Head  
Flush Cutter with Ergo Grips.  
L: 6.33" (161mm) Made in USA



**KP621-EG**  
Static-Safe Slim Tapered Head  
Full-Flush Cutter with Ergo Grips.  
L: 6.33" (161mm) Made in USA

## CUTTERS

### EDSYN BRAND TAPERED HEAD CUTTERS



**KP677-EG**  
Static-Safe Tapered Head Flush Cutter with Ergo Grips.  
L: 5.65" (144mm) Made in USA



**KP7137-EG**  
Static-Safe Slim Tapered Short Nose Full Flush Cutter with Ergo Grips.  
L: 5.5" (140mm) Made in USA



**KP7143-EG**  
Static-Safe Tapered Head Bevel Cutter with Ergo Grips.  
L: 5.5" (140mm) Made in USA



**KP7145-EG**  
Static-Safe Tapered Head Ultra-Full Cutter with Ergo Grips.  
L: 5.5" (140mm) Made in USA



**KP7147-EG**  
Static-Safe Tapered and Relieved Head Flush Cutter with Ergo Grips.  
L: 5.5" (140mm) Made in USA



**KP7244-EG**  
Static-Safe Tapered Head Flush Cutter with Ergo Grips.  
L: 5.5" (140mm) Made in USA



**KP8138-EG**  
Static-Safe Full Flush Cutter with Tapered and Relieved Jaws for Copper Wire:  
.004" (.1mm) - .031" (.8mm)  
and Ergo Grips.  
L: 5.5" (140mm) Made in USA



**KP8147**  
Static-Safe Flush Cutter with Tapered and Relieved Jaws for Copper Wire:  
.007in. (.2mm) - .039in (1mm)  
L: 4.3" (110mm) Made in USA



**KP8148**  
Static-Safe Full Flush Cutter with Tapered and Relieved Jaws and pointed head for Copper Wire:  
.007" (.2mm) - .039" (1mm)  
L: 4.7" (119mm) Made in USA



**KP8148-EG**  
Static-Safe Full Flush Cutter with Tapered and Relieved pointed head with Ergo Grips.  
L: 5.5" (140mm) Made in USA

## CUTTERS

### EDSYN BRAND TAPERED HEAD CUTTERS



### EDSYN BRAND TIP & OBLIQUE CUTTERS



## CUTTERS

### EDSYN BRAND TIP & OBLIQUE CUTTERS



**KP582-EG**

Static-Safe Oblique 45° Full-Flush Long Nose Cutter with Ergo Grips.  
L: 5.84" (148mm) Made in USA



**KP8149-EG**

Static-Safe Flush Tip Cutter with Ergo Grips.  
L: 5.5" (140mm) Made in USA




**KP7182**

Static-Safe Angled 45° Full-Flush End Cutter. L: 5" (127mm)  
Made in USA

**KP7182-EG**

Static-Safe Angled 45° Full-Flush End Cutter with Ergo Grips.  
L: 5.89" (150mm) Made in USA



### EDSYN BRAND STAND-OFF CUTTERS



**KP120**

Static-Safe Long Nose,  
Ultra-Flush Stand-Off Cutter.  
Stand-Off Distance: .04" (1mm)  
L: 5" (127mm) Made in USA



**KP120-.02-EG**

Static-Safe Long Nose  
Ultra-Flush Stand-Off Cutter.  
Stand-Off Distance: .02" (.5mm)  
L: 5.9" (150mm) Made in USA



**KP120-EG**

Static-Safe Long Nose,  
Ultra-Flush Stand-Off Cutter.  
Stand-Off Distance: .04" (1mm)  
L: 5.9" (150mm) Made in USA

**KP120-.01-EG**

Static-Safe Long Nose,  
Ultra-Flush Stand-Off Cutter.  
Stand-Off Distance: .01" (.25mm)  
L: 5.9" (150mm) Made in USA

**KP120-.06-EG**

Static-Safe Long Nose,  
Ultra-Flush Stand-Off Cutter.  
Stand-Off Distance: .06" (1.5mm)  
L: 5.9" (150mm) Made in USA

## CUTTERS

### LARSON BRAND CUTTERS



Cutters are made in Sweden and offer the best in European design and quality. Simple, quality products for the professional. Handles are static-safe molded plastic.



## CUTTERS

### LARSON BRAND CUTTERS



**KP9151**

Flush Cutter with Oval Head for Copper Wire:  
.004" (.1mm) - .049"  
L: 4.3" (110 mm)

**KP9152**

Flush Cutter with Oval Head for Copper Wire:  
.004" (.1mm) - .049"  
L: 4.3" (110 mm)

**KP9153**

Regular Bevel Cutter with Pointed Head for Copper Wire:  
.007" (.2mm) - .049" (1.25 mm)  
L: 4.3" (110 mm)

**KP9154**

Flush Cutter with Tapered Head for Copper Wire:  
.004" (.1mm) - .049" (1.25 mm)  
L: 4.3" (110 mm)

**KP9155**

Full Flush Cutter with Tapered Head for Copper Wire:  
.004in. (.1mm) - .039in. (1mm)  
L: 4.3" (110 mm)



**KP9156**

Regular Bevel Cutter with Tapered and Relieved Head for Copper Wire:  
.007in. (.2mm) - .039in. (1mm)  
L: 4.3" (110 mm)



**KP9157**

Flush Cutter with Tapered and Relieved Head for Copper Wire:  
.004in (.1mm) - .039in. (1mm)  
L:



**KP9158**

Full Flush Cutter with Tapered and Relieved Head for Copper Wire:  
.004" (.1mm) - .031" (80 mm)  
L: 4.3" (110 mm)



**KP9350**

Regular Bevel Cutter with Oval Head for Copper Wire:  
.012" (.3mm) - .063" (1.6 mm)  
L: 4.4" (112 mm)



**KP9351**

Flush Cutter with Oval Head for Copper Wire:  
.007" (.2mm) - .063 in. (1.6 mm)  
L: 4.4" (112mm)

## CUTTERS

### LARSON BRAND CUTTERS



**KP9352**  
Full Flush Cutter with Oval Head  
for Copper Wire:  
.007" (.2mm) - .049" (1.25 mm)  
L: 4.4" (112 mm)



**KP9353**  
Regular Bevel Cutter with Tapered Head  
for Copper Wire:  
.012" (.3 mm) - .063" (1.6 mm)  
L: 4.4" (112 mm)



**KP9354**  
Flush Cutter with Tapered Head  
for Copper Wire:  
.007" (.2 mm) - .063" (1.6 mm)  
L: 4.4" (112 mm)



**KP9355**  
Full Flush Cutter with Pointed Head  
for Copper Wire:  
.007" (.2 mm) - .049" (1.25 mm)  
L: 4.4" (112 mm)



**KP9356**  
Regular Bevel Cutter with Tapered Head  
for Copper Wire:  
.012" (.3 mm) - .049" (1.25 mm)  
L: 4.4" (112 mm)



**KP9357**  
Flush Cutter with Tapered Head  
for Copper Wire:  
.007" (.2mm) - .049" (1.25 mm)  
L: 4.4" (112 mm)



**KP9358**  
Full Flush Cutter with Tapered Head  
for Copper Wire:  
.007in. (.2mm) - .039in. (1mm)  
L: 4.4" (112 mm)



**KP9550**  
Regular Bevel Cutter with Oval Head  
for Copper Wire:  
.015in. (.4mm) - .078in. (2mm)  
L: 4.9" (125 mm)



**KP9551**  
Flush Cutter with Oval Head  
for Copper Wire:  
.02" (.3mm) - .078" (2mm)  
L: 4.9" (125 mm)




**KP9552**  
Full Flush Cutter with Oval Head  
for Copper Wire:  
.02" (.3mm) - .063" (1.6mm)  
L: 4.9" (125 mm)

## LARSON CUTTERS & PLIERS CROSS REFERENCE GUIDE

| TOOL TYPE        | HEAD SHAPE       | CUT           | LINDSTROM PN | EDSYN PN |
|------------------|------------------|---------------|--------------|----------|
| Diagonal Cutter  | Oval             | Micro Bevel   | 8140         | KP9150   |
| Diagonal Cutter  | Oval             | Flush         | 8141         | KP9151   |
| Diagonal Cutter  | Oval             | Ultra Flush   | 8142         | KP9152   |
| Diagonal Cutter  | Tapered          | Micro Bevel   | 8143         | KP9153   |
| Diagonal Cutter  | Tapered          | Flush         | 8144         | KP9154   |
| Diagonal Cutter  | Tapered          | Ultra Flush   | 8145         | KP9155   |
| Diagonal Cutter  | Tapered/Relieved | Micro Bevel   | 8146         | KP9156   |
| Diagonal Cutter  | Tapered/Relieved | Flush         | 8147         | KP9157   |
| Diagonal Cutter  | Tapered/Relieved | Ultra Flush   | 8148         | KP9158   |
| Diagonal Cutter  | Oval             | Micro Bevel   | 8150         | KP9350   |
| Diagonal Cutter  | Oval             | Flush         | 8151         | KP9351   |
| Diagonal Cutter  | Oval             | Ultra Flush   | 8152         | KP9352   |
| Diagonal Cutter  | Tapered          | Micro Bevel   | 8153         | KP9353   |
| Diagonal Cutter  | Tapered          | Flush         | 8154         | KP9354   |
| Diagonal Cutter  | Tapered          | Ultra Flush   | 8155         | KP9355   |
| Diagonal Cutter  | Tapered/Relieved | Micro Bevel   | 8156         | KP9356   |
| Diagonal Cutter  | Tapered/Relieved | Flush         | 8157         | KP9357   |
| Diagonal Cutter  | Tapered/Relieved | Ultra Flush   | 8158         | KP9358   |
| Diagonal Cutter  | Oval             | Micro Bevel   | 8160         | KP9550   |
| Diagonal Cutter  | Oval             | Flush         | 8161         | KP9551   |
| Diagonal Cutter  | Oval             | Ultra Flush   | 8162         | KP9552   |
| Diagonal Cutter  | Tapered/Relieved | Flush         | 7191         | KP3056   |
| End Cutter       | Oblique/Relieved | Bevel         |              | KP3064   |
| End Cutter       | Oblique 35°      | Flush         |              | KP3074   |
| End Cutter       | Oblique 45°      | Flush         | 8248         | KP3075   |
| Flat Nose Plier  |                  | Smooth Jaws   | 7490         | KP3011   |
| Round Nose Plier |                  | Smooth Jaws   | 7590         | KP3041   |
| Long Nose Plier  | Snipe Nose       | Smooth Jaws   | 7890         | KP3023   |
| Long Nose Plier  | Snipe Nose       | Serrated Jaws | 7891         | KP3024   |
| Bent Nose Plier  | 60° Bent Tip     | Smooth Jaws   | 7892         | KP3032   |

## CUTTERS

### EDSYN VALUE LINE CUTTERS



**KP170**

Micro-Shear Flush Cutter with Static-Safe Cushioned Grips and Non-Reflective Cutting Head. Flush Cuts Soft Copper Wire up to 20 AWG. L: 5.1" (130mm)



**KP101**

Micro Flush Nippers 5" (126 mm)



**KP710**

Diagonal Bevel Cutter Carbide Edge. L: 6.1" (155 mm)



**KP2175**

Static-Safe Maxi-Shear Flush Cutters for Soft Wire to 14AWG, L: 5.85" (148mm) Made in USA



**KP712**

Diagonal Flush Cutter Carbide Edge. L: 6.1" (155 mm)

## SCREWDRIVERS




EDSYN Screwdrivers offer a great value.  
Strong tips and comfortable, ergonomic grips.



**EA30P**  
Phillips Screwdriver #0  
5-1/4" (133 mm)

**EA41P**  
Phillips Screwdriver #1  
7-1/4" (184 mm)

**EA42P**  
Phillips Screwdriver #2  
7-1/2" (190 mm)



**EA62P**  
Phillips Screwdriver #2  
9-1/2" (240 mm)

**EA31S**  
Slotted Flat Screwdriver  
5-1/4" (133 mm)

**EA42S**  
Slotted Flat Screwdriver  
7-1/4" (184 mm)

**EA43S**  
Slotted Flat Screwdriver  
7-1/2" (190 mm)

**EA64S**  
Slotted Flat Screwdriver  
9-1/2" (240 mm)

## SCREWDRIVERS

### MINI SCREWDRIVER SETS


**EA001**

Mini Screwdriver Set. 6 pc with Slotted Flat Sizes: 0.8, 1.4, 2.0, 2.4, 2.9, & 3.8 mm


Always looking for that small screwdriver?  
Keep them handy and organized with these convenient kits.


**EA395**

Precision Mini Screwdriver Set. 6 pc with Slotted Flat Sizes: 1.0, 1.2, 1.6 & 2mm Phillips Tips #0, #1


**EA395C**

Mini Screwdriver Set. 6 pc. Tools have Color-Coded Rotating Heads. Slotted Flat Sizes: 1.0, 1.6, 2.4 & 3.0 mm Phillips Tips: #0, #1


**EA397**

Mini Screwdriver Set. 16 pc. with Slotted Flat sizes: 1.0, 1.4, 2.0, 2.4, 3.0 & 3.8mm - Phillips Tips: #00, #0, #1, #1.5 Hex: 1.5, 2.0, 2.5mm Nut Drivers: 3.0, 4.0, 5.0mm

## PRODUCTION AIDS

|                            |       |
|----------------------------|-------|
| <b>WIRE STRIPPERS</b>      | 31    |
| <b>MIRRORS</b>             | 31    |
| <b>PIN VISES</b>           | 31    |
| <b>SCISSORS</b>            | 31    |
| <b>FORCEPS</b>             | 32    |
| <b>PROBES</b>              | 32    |
| <b>BRUSHES</b>             | 33    |
| <b>VACUUM PICKUP UNITS</b> | 34    |
| <b>VACUUM NEEDLES</b>      | 35-36 |
| <b>SMALL PARTS NEEDLES</b> | 37-38 |
| <b>SUCTION CUPS</b>        | 39    |
| <b>DESOLDERING BRAID</b>   | 39-40 |

|                              |       |
|------------------------------|-------|
| <b>SOLDERING ACCESSORIES</b> | 40    |
| <b>MAGNIFIERS</b>            | 41    |
| <b>PRODUCTION AIDS</b>       | 42    |
| <b>DISPENSING</b>            | 43    |
| <b>SYRINGE ADAPTERS</b>      | 44    |
| <b>DISPENSING NEEDLES</b>    | 44-51 |
| <b>AIR SYRINGES</b>          | 51    |
| <b>MANUAL SYRINGES</b>       | 52    |
| <b>BOTTLES</b>               | 52-53 |
| <b>FLOW THROUGH BRUSHES</b>  | 53    |

*If there's something you need and it's not listed in our catalog, CALL US!*

## PRODUCTION AIDS

### WIRE STRIPPERS



**EA100**

Miller Wire Stripper wih Stop Screw Adjustment. Strips and Cuts Wires up to 10AWG. L: 5.1" (130 mm)



**EA101S**

Miller Wire Stripper with Stop Screw, Adjustment & Spring to keep tool open. Cuts Wires up to 10AWG. L: 5.1" (130 mm)



**EA103S**

Adjustable Miller Wire Stripper with Cam adjustment. L: 5.3" (135 mm)



**MIRRORS**

EM15 Shown



**EM15**

Inspection Mirror with Blue Ergo Handle. Mirror Dia.: 0.866" (22mm) L: 6.5" (165mm) Made in USA

**EM18**

Inspection Mirror with Blue Ergo Handle. Mirror Dia.: 0.984" (25mm) L: 7" (177.8mm) Made in USA



**EA721**

Miller Precision Stripper for Wires 10-20 AWG, with Cam Stop.



### SCISSORS



**EA272**

Stainless Steel Splicer's Scissors L: 5.1" (130 mm)



**ES290**

Medium Fine Blade Scissors L: 3.75" (95mm)



**ES295**

Long Slender Blade Scissors L: 4.12" (105mm)



**ES346B**

Micro Scissors L: 3.5" (90mm)

## PRODUCTION AIDS

### FORCEPS


**EA20C**

Curved Insulated Locking Forceps.  
L: 6.3" (160mm)


**EA20S**

Straight Insulated Locking Forceps.  
L: 6.3" (160mm)



### PROBES


**EA180**

Test Probe 4pc-Kit with Stainless  
Steel Flexible Tip Probes.  
L: 5.9" (150 mm)

**EP330A**

Straight Stainless-Steel Probe.  
L: 5.75" (146mm)

**EP330A-EG**

Straight Stainless-Steel Probe with  
Blue Ergo Grips. L: 5.75" (146mm)

**EP330B**

Angled Stainless-Steel Probe.  
L: 5.75" (146mm)

**EP330B-EG**

Angled Stainless-Steel Probe with  
Blue Ergo Grips. L: 5.75" (146mm)

**EP330C**

Curved Stainless-Steel Probe.  
L: 5.75" (146mm)

**EP330C-EG**

Curved Stainless-Steel Probe with  
Blue Ergo Grips. L: 5.75" (146mm)

**EP330D**

Hook Stainless-Steel Probe.  
L: 5.75" (146mm)

**EP330D-EG**

Hook Stainless-Steel Probe with  
Blue Ergo Grips. L: 5.75" (146mm)

## PRODUCTION AIDS

### BRUSHES



EDB12-HH  
Shown

#### **EDB12-CK**

Aluminum Handle Single Row Hogs  
Bristle Detail Brush.

#### **EDB12-HH**

Aluminum Handle Single Row Horse  
Hair Detail Brush.

#### **EDB12-SS**

Aluminum Handle Single Row  
Stainless Steel Bristle Detail Brush.

#### **EDB13-CK**


Aluminum Handle 3 Row  
Hogs Bristle Detail Brush.

#### **EDB13-HH**

Aluminum Handle 3 Row  
Horse Hair Detail Brush.

#### **EDB13-SS**

Aluminum Handle 3 Row Stainless  
Steel Bristle Detail Brush.




#### **EDB10-CH**

Hogs Bristle Scratch Brush  
with 4 Rows.

#### **EDB10-HH**

Horse Hair Scratch Brush  
with 4 Rows.



#### **EDB9-CK**

Hogs Bristle Scratch Brush  
with 3 Rows.



#### **EDB9-HH**

Horse Hair Scratch Brush  
with 3 Rows.



EDB8-CK  
Shown

#### **EDB8-CK**

Applicator Hogs Bristle Brush  
with Zinc-Plated Handle.

#### **EDB8-HH**

Applicator Horse Hair Brush  
with Zinc-Plated Handle.



EDB11-HH  
Shown

#### **EDB11-CK**

Heavy-Duty Hogs Bristle  
Upright Cleaning Brush.

#### **EDB11-HH**

Heavy-Duty Horse Hair  
Upright Cleaning Brush.



EDB6-CK Shown

#### **EDB6-CK**

Double Ended Hogs Bristle Brush  
(tapered/flat) with Stainless-Steel  
Handle. (1/4in. Tapered, 1/2in. Flat)

#### **EDB6-HH**

Double Ended Horse Hair Bristle  
Brush with Stainless Steel Handle.  
(1/4" Tapered, 1/2" Flat)



EDB7-CK Shown

#### **EDB7-CK**

Double Ended Hogs Bristle Brush  
(tapered/flat) with Stainless-Steel  
Handle. (3/16" Tapered, 1/4" Flat)

#### **EDB7-HH**

Double Ended Horse Hair Bristle  
Brush with Stainless Steel Handle.  
(3/16" Tapered, 1/4" Flat)

## PRODUCTION AIDS

### VACUUM PICK-UP UNITS

The VA175 features new technology and a comfortable, ultra-light weight hand tool that works well on a variety of SMD sizes using air-pressure or vacuum. Positive air pressure causes the component to fly into the pick-up tool thereby lifting and cooling at the same time.



New  
Technology



**VA175**

**SOLDAVAC<sup>®</sup>** Air and Vacuum Pick-Up System with HB359, LP252 and SPA25. Requires Shop Air (60-90 psi)



**LP20**

**PIXTER<sup>®</sup>** Portable Vacuum Handling Tool. Includes LN251 Straight and LN260 Angled Lifting Needles.



**LP200**

**SOLDAVAC<sup>®</sup>** Lifter by Pen-Vac Portable Vacuum Pick-Up Tool. Includes LN250, LN260 and LN270 Angled Lifting Needles.




**VA251**

**PIXTER<sup>®</sup>** Self-Contained High Performance Vacuum System.



## PRODUCTION AIDS



### VACUUM NEEDLES

**LN240** Small Angled Lifting Needle with SP093 Static-Safe Silicon Suction Cup.  
O.D.: .09375" (2.4 mm) L: .50" (12.7 mm)



**LN241** Small Straight Lifting Needle with SP093 Static-Safe Silicon Suction Cup.  
O.D.: .09375" (2.4mm) L: .50" (12.7 mm)



**LN250** Small Angled Lifting Needle with SP125 Static-Safe Silicon Suction Cup for LP200  
O.D.: .125" (3.2 mm) L: .50" (12.7 mm)



**LN251** Straight Lifting Needle with SP125 Static-Safe Silicon Suction Cup for LP200.  
O.D.: .125" (3.2 mm) L: .50" (12.7 mm)



**LN260** Angled Lifting Needle with SP250 Static-Safe Silicon Suction Cup for LP200.  
O.D.: .25" (6.4 mm) L: .50" (12.7 mm)



**LN261** Medium Straight Lifting Needle with SP250 Static-Safe Silicon Suction Cup for LP200.  
O.D.: .25" (6.4 mm) L: .50" (12.7 mm)



**LN270** Large Angled Lifting Needle with SP375 Static-Safe Silicon Suction Cup for LP200.  
O.D.: .375" (9.5 mm) L: .50" (12.7 mm)



**LN271** Straight Lifting Needle with SP375 Static-Safe Silicon Suction Cup for LP200.  
O.D.: .375" (9.5 mm) L: .50" (12.7 mm)



## PRODUCTION AIDS

### VACUUM NEEDLES

**LN275** Angled Lifting Needle for LP250, LP252 and VA175.  
Includes HC273. O.D.: .03" (.76 mm)



**LN275-1** Angled Lifting Needle for LP250, LP252 and VA175.  
Includes HC273. O.D.: .02" (0.5 mm)



**LN275-2** Angled Lifting Needle for LP250, LP252 and VA175.  
Includes HC273. O.D.: .01" (0.2 mm)



**LN76** Angled Lifting Needle for LP250, LP252 and VA175.  
Includes HC273. O.D.: .07" (1.8 mm) L: .50" (12.7 mm)



**LN277** Angled Lifting Needle for LP250, LP252 and VA175.  
Includes CS468-2 and HC273. O.D.: .05" (1.3 mm) L: .9" (22.9 mm)



**LN278** Angled Lifting Needle for LP250, LP252 and VA175.  
Includes CS469 and HC273. O.D.: .05" (1.3 mm) L: 1.9" (48.3 mm)



**LN279** Angled Lifting Needle for LP250, LP252 and VA175.  
Includes CS469 and HC273. O.D.: .03" (0.8 mm) L: 1.9" (48.3 mm)



**LN282** Right-Angle Lifting Needle. O.D.: .07" (1.8 mm) L: 2.8" (71 mm)



**LN301** Side Lifting Needle. I.D.: .1" (2.54 mm) Angle: 20°



**LN302** Edge Lifting Needle . I.D.: .023" (.58 mm) Angle: 45°



**LN303** Edge Lifting Needle. I.D.: .1" (2.54 mm) Angle: 30°



**LN304** Side Lifting Needle. I.D.: .07" (1.78 mm) Angle: 30°



## PRODUCTION AIDS

### SMALL PARTS NEEDLES



- LN400** Straight Lifting Needle.  
O.D.: .02" (.5 mm) I.D.: .005" (.12 mm) with Static-Safe Delrin Tip 
- 
- LN400-1** Angled Lifting Probe  
O.D.: .02" (.5 mm) I.D.: .005" (.12 mm) with Static-Safe Delrin Tip 
- 
- LN401** Straight Lifting Needle.  
O.D.: .02" (.5 mm) I.D.: .01" (.25 mm) with Static-Safe Delrin Tip 
- 
- LN401-1** Angled Lifting Needle.  
O.D.: .02" (.5 mm) I.D.: .01" (.25 mm) with Static-Safe Delrin Tip 
- 
- LN401T** Straight Lifting Needle  
O.D.: .02" (.5 mm) I.D.: .01" (.25 mm) with High-Temperature Torlon Tip 
- 
- LN401T-1** Angled Lifting Needle.  
O.D.: .02" (.5 mm) I.D.: .01" (.25 mm) with High Temperature Torlon Tip 
- 
- LN402** Straight Lifting Needle.  
O.D.: .03" (.76 mm) I.D.: .02" (.5 mm) with Static-Safe Delrin Tip 
- 
- LN402-1** Angled Lifting Needle.  
O.D.: .03" (.76 mm) I.D.: .02" (.5 mm) with Static-Safe Delrin Tip 
- 
- LN402T** Straight Lifting Needle.  
O.D.: .03" (.76 mm) I.D.: .02" (.5 mm) with High-Temperature Torlon Tip 
- 
- LN402T-1** Angled Lifting Needle.  
O.D.: .03" (.76 mm) I.D.: .02" (.5 mm) with High-Temperature Torlon Tip 
- 
- LN403** Straight Lifting Needle.  
O.D.: .04" (1 mm) I.D.: .03" (.76 mm) with Static-Safe Delrin Tip 

## PRODUCTION AIDS

### SMALL PARTS NEEDLES



- LN403-1** Angled Lifting Needle.  
O.D.: .04" (1 mm) I.D.: .03" (.76 mm) with Static-Safe Delrin Tip



- LN403T** Straight Lifting Needle.  
O.D.: .04" (1 mm) I.D.: .03" (.76 mm) with High-Temperature Torlon Tip



- LN403T-1** Angled Lifting Needle.  
O.D.: .04" (1 mm) I.D.: .03" (.76 mm) with High-Temperature Torlon Tip



- LN404** Straight Lifting Needle.  
O.D.: .06" (1.5 mm) I.D.: .04" (1 mm) with Static-Safe Delrin Tip



- LN404-1** Angled Lifting Needle.  
O.D.: .06" (1.5 mm) I.D.: .04" (1 mm) with Static-Safe Delrin Tip



- LN404T** Straight Lifting Needle.  
O.D.: .06" (1.5 mm) I.D.: .04" (1 mm) with High-Temperature Torlon Tip



- LN404T-1** Angled Lifting Needle.  
O.D.: .06" (1.5 mm) I.D.: .04" (1 mm) with High-Temperature Torlon Tip



- LN405** Straight Lifting Needle.  
O.D.: .08" (2 mm) I.D.: .06" (1.5 mm) with Static-Safe Delrin Tip



- LN405-1** Angled Lifting Needle.  
O.D.: .08" (2 mm) I.D.: .06" (1.5 mm) with Static-Safe Delrin Tip



- LN405T** Straight Lifting Needle.  
O.D.: .08" (2 mm) I.D.: .06" (1.5 mm) with High-Temperature Torlon Tip



- LN405T-1** Angled Lifting Needle.  
O.D.: .08" (2 mm) I.D.: .06" (1.5 mm) with High-Temperature Torlon Tip



## PRODUCTION AIDS

### SUCTION CUPS

**SP093** OCTAVAC 3/32" Static-Safe Silicone Suction Cup for LN250 Lifting Needle.



**SP125** OCTAVAC 1/8" Static-Safe Silicone Suction Cup for LN250 Lifting Needle.



**SP250** OCTAVAC 1/4" Static-Safe Silicone Suction Cup fits all Lifting Needles except LN250.



**SP375** OCTAVAC 3/8" Static-Safe Silicone Suction Cup fits all Lifting Needles except LN250.



**SP500** OCTAVAC 1/2" Static-Safe Silicone Suction Cup fits all Lifting Needles except LN250.



**SP625** OCTAVAC 5/8" Static-Safe Silicone Suction Cup fits all Lifting Needles except LN250.



**SP750** OCTAVAC 3/4" Static-Safe Silicone Suction Cup fits all Lifting Needles except LN250.



### DESOLDERING BRAID

**SW081** No-Clean (Size #1) White Desolder Braid .035" x 5 ft (.9mm x 1.5m) Comes with Static-Safe Bobbin.



**SW081-10** No-Clean (Size #1) White Desolder Braid .035" x 10ft (.9mm x 3m) Comes with Static-Safe Bobbin.

**SW082** No-Clean (Size #2) Yellow Desolder Braid .055" x 5 ft (1.4mm x 1.5m) Comes with Static-Safe Bobbin.

**SW082-10** No-Clean (Size #2) Yellow Desolder Braid .055" x 10ft (1.4mm x 3m) Comes with Static-Safe Bobbin.

**SW083** No-Clean (Size #3) Green Desolder Braid .075" x 5 ft (1.9mm x 1.5m) Comes with Static-Safe Bobbin.

**SW083-10** No-Clean (Size #3) Green Desolder Braid .075" x10ft (1.9mm x 3m) Comes with Static-Safe Bobbin.

**SW084** No-Clean (Size #4) Blue Desolder Braid .098" x 5 ft (2.5mm x 1.5m) Comes with Static-Safe Bobbin.

**SW084-10** No-Clean (Size #4) Blue Desolder Braid .098" x10ft (2.5mm x 3m) Comes with Static-Safe Bobbin.

**SW085** No-Clean (Size #5) Brown Desolder Braid .13" x 5 ft. (3.3mm x 1.5m) Comes with Static-Safe Bobbin.

**SW085-10** No-Clean (Size #5) Brown Desolder Braid .13" x 10ft. (3.3mm x 3m) Comes with Static-Safe Bobbin.

**SW086** No-Clean (Size #6) Red Desolder Braid .19" x 5 ft. (4.9mm x 1.5m) Comes with Static-Safe Bobbin.

## PRODUCTION AIDS

### DESOLDERING BRAIDS

**SW091** Rosin (Size #1) White Desolder Braid .035" x 5 ft (0.9mm x 1.5m) Comes with Static-Safe Bobbin.

**SW091-10** Rosin (Size #1) White Desolder Braid .035" x 10 ft (0.9mm x 3m) Comes with Static-Safe Bobbin.

**SW092** Rosin (Size #2) Yellow Desolder Braid .055" x 5 ft (1.4mm x 1.5m) Comes with Static-Safe Bobbin.

**SW092-10** Rosin (Size #2) Yellow Desolder Braid .055" x 10ft (1.4mm x 3m) Comes with Static-Safe Bobbin.

**SW093** Rosin (Size #3) Gray Desolder Braid .075" x 5ft (1.9mm x 1.5m) Comes with Static-Safe Bobbin.

**SW093-10** Rosin (Size #3) Gray Desolder Braid .075" x 10 ft (1.9mm x 3m) Comes with Static-Safe Bobbin.

**SW094** Rosin (Size #4) Blue Desolder Braid .098" x 5ft (2.5mm x 1.5m) Comes with Static-Safe Bobbin.

**SW094-10** Rosin (Size #4) Blue Desolder Braid .098" x 10 ft (2.5mm x 3m) Comes with Static-Safe Bobbin.

**SW095** Rosin (Size #5) Brown Desolder Braid .13" x 5 ft (3.3mm x 1.5m) Comes with Static-Safe Bobbin.

**SW095-10** Rosin (Size #5) Brown Desolder Braid .13" x 10 ft (3.3mm x 3m) Comes with Static-Safe Bobbin.

**SW096** Rosin (Size #6) Red Desolder Braid .193" x 5 ft (4.9mm x 1.5m) Comes with Static-Safe Bobbin.



### SOLDERING ACCESSORIES



**CT-1**

CROWN Lead-Free  
Tip Tinner and Cleaner  
Dia: 1.88" (47.8 mm)  
Net Weight: 1.5 oz. (42.5 g)



**SL287LF**

Static-Safe Empty Solder Spool  
Holder with Self-Adhesive  
Bottom for Lead-Free Solder.



**SL287LS**

Static-Safe Empty Solder  
Spool Holder with  
Self-Adhesive Bottom.



**LT-1**

LONER Lead-Free  
Tip Tinner and Cleaner.  
Dia: 1.22" (26.6 mm)  
Net Weight: .5 oz. (14.2 g)



**EA439-1**

Replacement Metallic Tip Cleaning  
Element for EA439.



**EA439-C**

Dry Soldering Tip Cleaner and  
Stand. Carded for Display.

## PRODUCTION AIDS

### MAGNIFIERS



**EA30**  
Folding Magnifier - 10x  
Lens Dia.: 1.18" (30 mm)



**EA3030**  
Loupe Magnifier - 10x  
Lens Dia.: 1.18" (30 mm)



**EA3075**  
Loupe Magnifier - 5.5x  
Lens Dia.: 2.95" (75 mm)



**EA55**  
Pocket Magnifier - 2.5x  
Lens Dia.: 2.2" (56mm)



**EA56**  
Pocket Magnifier - 5x  
Lens Dia.: 1.57" (40mm)



**EA75**  
Folding Magnifier - 3.5x  
Lens Dia.: 2.95" (75 mm)



**EA7501**  
Illuminated Magnifier.  
Lens Dia. 2" (50 mm)  
Magnification: 4.5x



**EA7502**  
Illuminated Magnifier.  
Lens Dia.: 3.5" (90 mm)  
Magnification: 2.5x



**EA7701**  
High Profile Illuminated Magnifier.  
Lens Dia.: 3.5" (90 mm)  
Magnification: 2.5x



**EA7703**  
High Profile Illuminated Magnifier.  
Lens Dia.: 2" (50 mm)  
Magnification: 4.5x




**EAL15**  
High Power Eye Loupe.  
Lens Dia.: .59" (15 mm)  
Magnification: 10x



**EA490**  
Helping Hand & Magnifier Consisting  
of a Board Holder with Alligator Clips  
and Adjustable Arms.  
Magnification: 2x.

## PRODUCTION AIDS


### PRODUCTION AIDS



**EA26**  
Line Voltage Tester and Screwdriver.



**EA450**  
Burnishing Brush with Metal Nose Cap  
and Adjustable Fiberglass Fill.  
L: 4.75" (120 mm)



**EA610**  
ESD Safe PLCC Extractor  
L: 3.9" (100 mm)



**EA801**  
Component Bender for 1/4 & 1/2  
Watt Resistors and Diodes.  
L: 5.4" (137 mm)



**EA901**  
Component Bender for  
1 & 2 Watt Resistors and Diodes.  
L: 5.4" (137 mm)

## PRODUCTION AIDS

### DISPENSING



**EDS2002**

Digital Dispensing System with  
10 Program memory Storage  
and a Timer range from  
.008 - 99.9 Seconds.

**EDSDEMK**

Dispensing Accessory Needle and  
Syringe Demo Kit.



**EDN-K1**

Sample Package of (5) Needles in  
Various Sizes: 14, 16, 18, 20 and  
25mm.

**EDKN-K2**

Assorted Needles (500/pkg).

### SYRINGE ADAPTERS



**EDA3**

3cc Universal Syringe Adapter.



**EDA3H**

3cc Plastic Universal Adapter.  
(Adapter Head Only w/out Hose)



**EDA3X**

3cc Standard Air Syringe Adapter with  
6 ft. hose and Quick Disconnect.  
(Fits EDSYN & EFD Air Syringe)



**EDA5**

5cc Universal Syringe Adapter.



**EDA5H**

5cc Plastic Universal Adapter.  
(Adapter Head Only w/out Hose)



**EDA5X**

5cc Standard Air Syringe Adapter with  
6 ft. hose and Quick Disconnect.  
(Fits EDSYN & EFD Air Syringe)

## PRODUCTION AIDS

### SYRINGE ADAPTERS



**EDA10**  
10cc Universal Syringe Adapter.



**EDA10H**  
10cc Plastic Universal Adapter.  
(Adapter Head Only w/out Hose)



**EDA10X**  
10cc Standard Air Syringe Adapter with  
6 ft. hose and Quick Disconnect.  
(Fits EDSYN & EFD Air Syringe)



**EDA30**  
30cc Universal Syringe Adapter.



**EDA30H**  
30cc Plastic Universal Adapter.  
(Adapter Head Only w/out Hose)



**EA7701**  
30cc Standard Air Syringe Adapter with  
6 ft. hose and Quick Disconnect.  
(Fits EDSYN & EFD Air Syringe)

### DESPENSING NEEDLES

**EDN14** 14 Gauge Dispensing Needle- Olive (Set of 50) L: .5" (12.7 mm) ID: .067" (1.7 mm)

**EDN14-1** 14 Gauge Dispensing Needle- Olive (Set of 50) L: 1" (25.4 mm) ID: .067" (1.7 mm)

**EDN14-1-M** 14 Gauge Dispensing Needle- Olive (Set of 1000) L: 1" (25.4 mm) ID: .067" (1.7 mm)

**EDN14-1.5** 14 Gauge Dispensing Needle- Olive (Set of 50) L: 1.5" (38.1 mm) ID: .067" (1.7 mm)

**EDN14-1.5-M** 14 Gauge Dispensing Needle- Olive (Set of 1000) L: 1.5" (38.1 mm) ID: .067" (1.7 mm)

**EDN14-M** 14 Gauge Dispensing Needle- Olive (Set of 1000) L: 0.5" (12.7 mm) ID: .067" (1.7 mm)

**EDN14T** 14 Gauge Tapered Dispensing Needle-Salmon (Set of 50) L: 1.25" (31.8 mm) ID: .063" (1.6 mm)

**EDN14T-M** 14 Gauge Tapered Dispensing Needle-Salmon (Set of 1000) L: 1.25" (31.8 mm) ID: .063" (1.6 mm)

**EDN14TX** 14 Gauge Teflon Dispensing Needle-Olive (Set of 50) L: .5" (12.7 mm) ID: .063" (1.6 mm)

**EDN14TX-2** 14 Gauge Teflon Dispensing Needle-Olive (Set of 50) L: 2" (50.8 mm) ID: .063" (1.6 mm)



## PRODUCTION AIDS

### DISPENSING NEEDLES



**EDN14** 14 Gauge Dispensing Needle- Olive (Set of 50) L: .5" (12.7 mm) ID: .067" (1.7 mm)

**EDN14-1** 14 Gauge Dispensing Needle- Olive (Set of 50) L: 1" (25.4 mm) ID: .067" (1.7 mm)

**EDN14-1-M** 14 Gauge Dispensing Needle- Olive (Set of 1000) L: 1" (25.4 mm) ID: .067" (1.7 mm)

**EDN14-1.5** 14 Gauge Dispensing Needle- Olive (Set of 50) L: 1.5" (38.1 mm) ID: .067" (1.7 mm)

**EDN14-1.5-M** 14 Gauge Dispensing Needle- Olive (Set of 1000) L: 1.5" (38.1 mm) ID: .067" (1.7 mm)

**EDN14-M** 14 Gauge Dispensing Needle- Olive (Set of 1000) L: 0.5" (12.7 mm) ID: .067" (1.7 mm)

**EDN14T** 14 Gauge Tapered Dispensing Needle-Salmon (Set of 50) L: 1.25" (31.8 mm) ID: .063" (1.6 mm)

**EDN14T-M** 14 Gauge Tapered Dispensing Needle-Salmon (Set of 1000) L: 1.25" (31.8 mm) ID: .063" (1.6 mm)

**EDN14TX** 14 Gauge Teflon Dispensing Needle-Olive (Set of 50) L: .5" (12.7 mm) ID: .063" (1.6 mm)

**EDN14TX-2** 14 Gauge Teflon Dispensing Needle-Olive (Set of 50) L: 2" (50.8 mm) ID: .063" (1.6 mm)

**EDN15** 15 Gauge Dispensing Needle- Orange (Set of 50) L: .50" (12.7 mm) ID: .06" (1.52 mm)

**EDN15-1** 15 Gauge Dispensing Needle- Orange (Set of 50) L: 1" (25.4 mm) ID: .06" (1.52 mm)

**EDN15-1-M** 15 Gauge Dispensing Needle- Orange (Set of 1000) L: 1" (25.4 mm) ID: .06" (1.52 mm)

**EDN15-1.5** 15 Gauge Dispensing Needle- Orange (Set of 50) L: 1.5" (38.1 mm) ID: .06" (1.52 mm)

**EDN15-1.5-M** 15 Gauge Dispensing Needle- Orange (Set of 1000) L: 1.5" (38.1 mm) ID: .06" (1.52 mm)

**EDN15-M** 15 Gauge Dispensing Needle- Orange (Set of 1000) L: 0.5" (12.7 mm) ID: .06" (1.52 mm)

**EDN16** 16 Gauge Dispensing Needle- Purple (Set of 50) L: 0.5" (12.7 mm) ID: .053" (1.3462 mm)

**EDN16-1** 16 Gauge Dispensing Needle- Purple (Set of 50) L: 1" (25.4 mm) ID: .053" (1.3462 mm)



## PRODUCTION AIDS

### DISPENSING NEEDLES

**EDN16-1-M** 16 Gauge Dispensing Needle- Purple (Set of 1000) L: 1" (25.4 mm) ID: .053" (1.3462 mm)



**EDN16-1.5** 16 Gauge Dispensing Needle- Purple (Set of 50) L: 1.5" (38.1 mm) ID: .053" (1.3462 mm)

**EDN16-1.5-M** 16 Gauge Dispensing Needle- Purple (Set of 1000) L: 1.5" (38.1 mm) ID: .053" (1.3462 mm)

**EDN16-M** 16 Gauge Dispensing Needle- Purple (Set of 1000) L: 0.5" (12.7 mm) ID: .053" (1.3462 mm)

**EDN16T** 16 Gauge Tapered Dispensing Needle-Grey (Set of 50) L: 1.25" (31.8 mm) ID: .048" (1.2 mm)

**EDN16T-M** 16 Gauge Tapered Dispensing Needle-Grey (Set of 1000) L: 1.25" (31.8 mm) ID: .048" (1.2 mm)

**EDN16TX** 16 Gauge Teflon Dispensing Needle-Purple (Set of 50) L: .5" (12.7 mm)

**EDN16TX-2** 16 Gauge Teflon Dispensing Needle-Purple (Set of 50) L: 2" (50.8 mm)

**EDN17** 17 Gauge Dispensing Needle- White (Set of 50) L: 0.5" (12.7 mm) ID: .047" (1.1938 mm)

**EDN17-1** 17 Gauge Dispensing Needle- White (Set of 50) L: 1" (25.4 mm) ID: .047" (1.1938 mm)

**EDN17-1-M** 17 Gauge Dispensing Needle- White (Set of 1000) L: 1" (25.4 mm) ID: .047" (1.1938 mm)

**EDN17-1.5** 17 Gauge Dispensing Needle- White (Set of 50) L: 1.5" (38.1 mm) ID: .047" (1.1938 mm)

**EDN17-1.5-M** 17 Gauge Dispensing Needle- White (Set of 1000) L: 1.5" (38.1 mm) ID: .047" (1.1938 mm)

**EDN17-M** 17 Gauge Dispensing Needle- White (Set of 1000) L: 0.5" (12.7 mm) ID: .047" (1.1938 mm)

**EDN18** 18 Gauge Dispensing Needle- Pink (Set of 50) L: .50" (12.7 mm) ID: .038" (.97 mm)

**EDN18-1** 18 Gauge Dispensing Needle- Pink (Set of 50) L: 1" (25.4 mm) ID: .038" (.97 mm)

**EDN18-1-M** 18 Gauge Dispensing Needle- Pink (Set of 1000) L: 1" (25.4 mm) ID: .038" (.97 mm)

**EDN18-1.5** 18 Gauge Dispensing Needle- Pink (Set of 50) L: 1.50" (38.1 mm) ID: .038" (0.97 mm)



## PRODUCTION AIDS

### DISPENSING NEEDLES



**EDN18-1.5-M** 18 Gauge Dispensing Needle- Pink (Set of 1000) L: 1.50" (38.1 mm) ID: .038" (0.97 mm)

**EDN18-M** 18 Gauge Dispensing Needle- Pink (Set of 1000) L: 0.5" (12.7 mm) ID: .038" (.97 mm)

**EDN18** 18 Gauge Tapered Dispensing Needle-Green (Set of 50) L: 1.25" (31.8 mm) ID: .034" (0.05 mm)

**EDN18T-M** 18 Gauge Tapered Dispensing Needle-Green (Set of 1000) L: 1.25" (31.8 mm) ID: .034" (0.9 mm)

**EDN18TX** 18 Gauge Teflon Dispensing Needle-Pink (Set of 50) L: .5" (12.7 mm)

**EDN18TX-2** 18 Gauge Teflon Dispensing Needle-Pink (Set of 50) L: 2" (50.8 mm)

**EDN19** 19 Gauge Dispensing Needle- Brown (Set of 50) L: .5" (12.7 mm) ID: .032" (0.8126 mm)

**EDN19-1** 19 Gauge Dispensing Needle- Brown (Set of 50) L: 1" (25.4 mm) ID: .032" (.81 mm)

**EDN19-1-M** 19 Gauge Dispensing Needle- Brown (Set of 1000) L: 1" (25.4 mm) ID: .032" (.81 mm)

**EDN19-1.5** 19 Gauge Dispensing Needle- Brown (Set of 50) L: 1.50" (38.1 mm) ID: .032" (0.8126 mm)

**EDN19-1.5-M** 19 Gauge Dispensing Needle- Brown (Set of 1000) L: 1.50" (38.1 mm) ID: .032" (0.8126 mm)

**EDN19-M** 19 Gauge Dispensing Needle- Brown (Set of 1000) L: 0.5" (12.7 mm) ID: .032" (.81 mm)

**EDN20** 20 Gauge Dispensing Needle- Yellow (Set of 50) L: .50" (12.7 mm) ID: .026" (0.7 mm)

**EDN20-1** 20 Gauge Dispensing Needle- Yellow (Set of 50) L: 1" (25.4 mm) ID: .026" (.7 mm)

**EDN20-1-M** 20 Gauge Dispensing Needle- Yellow (Set of 1000) L: 1" (25.4 mm) ID: .026" (.7 mm)

**EDN20-1.5** 20 Gauge Dispensing Needle- Yellow (Set of 50) L: 1.5" (38.1 mm) ID: .026" (.7 mm)

**EDN20-1.5-M** 20 Gauge Dispensing Needle- Yellow (Set of 1000) L: 1.5" (38.1 mm) ID: .026" (.7 mm)

**EDN20-M** 20 Gauge Dispensing Needle- Yellow (Set of 1000) L: 0.5" (12.7 mm) ID: .026" (.7 mm)

## PRODUCTION AIDS

### DISPENSING NEEDLES

**EDN20T** 20 Gauge Tapered Dispensing Needle-Pink (Set of 50) L: 1.25" (31.8 mm) ID: .024" (0.6 mm)



**EDN20T-M** 20 Gauge Tapered Dispensing Needle-Pink (Set of 1000) L: 1.25" (31.8 mm) ID: .024" (0.6 mm)

**EDN20TX** 20 Gauge Teflon Dispensing Needle-Yellow (Set of 50) L: .5" (12.7 mm)

**EDN20TX-2** 20 Gauge Teflon Dispensing Needle-Yellow (Set of 50) L: 2" (50.8 mm)

**EDN21** 21 Gauge Dispensing Needle- Green (Set of 50) L: .50" (12.7 mm) ID: .023" (0.6 mm)

**EDN21-1** 21 Gauge Dispensing Needle- Green (Set of 50) L: 1" (25.4 mm) ID: .023" (0.6 mm)

**EDN21-1-M** 21 Gauge Dispensing Needle- Green (Set of 1000) L: 1" (25.4 mm) ID: .023" (0.6 mm)

**EDN21-1.5** 21 Gauge Dispensing Needle- Green (Set of 50) L: 1.50" (38.1 mm) ID: .022" (0.6 mm)

**EDN21-1.5-M** 21 Gauge Dispensing Needle- Green (Set of 1000) L: 1.50" (38.1 mm) ID: .022" (0.6 mm)

**EDN21-M** 21 Gauge Dispensing Needle- Green (Set of 1000) L: 0.5" (12.7 mm) ID: .023" (.6 mm)

**EDN22** 22 Gauge Dispensing Needle- Black (Set of 50) L: .50" (12.7 mm) ID: .019" (0.5 mm)

**EDN22-1** 22 Gauge Dispensing Needle- Black (Set of 50) L: 1" (25.4 mm) ID: .019" (0.5 mm)

**EDN22-1-M** 22 Gauge Dispensing Needle- Black (Set of 1000) L: 1" (25.4 mm) ID: .019" (0.5 mm)

**EDN22-1.5** 22 Gauge Dispensing Needle- Black (Set of 50) L: 1.5" (38.1 mm) ID: .019" (0.5 mm)

**EDN22-1.5-M** 22 Gauge Dispensing Needle- Black (Set of 1000) L: 1.5" (38.1 mm) ID: .019" (0.5 mm)

**EDN22-M** 22 Gauge Dispensing Needle- Black (Set of 1000) L: 0.5" (12.7 mm) ID: .019" (.5 mm)

**EDN22T** 22 Gauge Tapered Dispensing Needle-Blue (Set of 50) L: 1.25" (31.8 mm) ID: .017" (0.4 mm)

**EDN22T-M** 22 Gauge Tapered Dispensing Needle-Blue (Set of 1000) L: 1.25" (31.8 mm) ID: .017" (0.4 mm)



## PRODUCTION AIDS

### DISPENSING NEEDLES

**EDN22TX** 22 Gauge Teflon Dispensing Needle-Black (Set of 50) L: .5" (12.7 mm)

**EDN22TX-2** 22 Gauge Teflon Dispensing Needle-Black (Set of 50) L: 2" (50.8 mm)

**EDN23** 23 Gauge Dispensing Needle- Sky Blue (Set of 50) L: .5" (12.7 mm) ID: .017" (0.43 mm)

**EDN23-1** 23 Gauge Dispensing Needle- Sky Blue (Set of 50) L: 1" (25.4 mm) ID: .017" (0.43 mm)

**EDN23-1-M** 23 Gauge Dispensing Needle- Sky Blue (Set of 1000) L: 1" (25.4 mm) ID: .017" (.4318 mm)

**EDN23-1.5** 23 Gauge Dispensing Needle- Sky Blue (Set of 50) L: 1.5" (38.1 mm) ID: .017" (0.43 mm)

**EDN23-1.5-M** 23 Gauge Dispensing Needle- Sky Blue (Set of 1000) L: 1.5" (38.1 mm) ID: .017" (0.43 mm)

**EDN23-M** 23 Gauge Dispensing Needle- Sky Blue (Set of 1000) L: 0.5" (12.7 mm) ID: .017" (.4318 mm)

**EDN23TX** 23 Gauge Teflon Dispensing Needle-Sky Blue (Set of 50) L: .5" (12.7 mm)

**EDN24** 24 Gauge Dispensing Needle- Red (Set of 50) L: .5" (12.7 mm) ID: .014" (0.56 mm)

**EDN24-1** 24 Gauge Dispensing Needle- Red (Set of 50) L: 1" (25.4 mm) ID: .014" (0.56 mm)

**EDN24-1-M** 24 Gauge Dispensing Needle- Red (Set of 1000) L: 1" (25.4 mm) ID: .014" (0.56 mm)

**EDN24-1.5** 24 Gauge Dispensing Needle- Red (Set of 50) L: 1.5" (38.1 mm) ID: .014" (0.56 mm)

**EDN24-1.5-M** 24 Gauge Dispensing Needle- Red (Set of 1000) L: 1.5" (38.1 mm) ID: .014" (0.56 mm)

**EDN24-M** 24 Gauge Dispensing Needle- Red (Set of 1000) L: .5" (12.7 mm) ID: .014" (0.56 mm)

**EDN24T** 24 Gauge Tapered Dispensing Needle-Red (Set of 50) L: 1.25" (31.8 mm)

**EDN24T-M** 24 Gauge Tapered Dispensing Needle-Red (Set of 1000) L: 1.25" (31.8 mm)

**EDN25** 25 Gauge Dispensing Needle- Blue (Set of 50) L: .50" (12.7 mm) ID: .012" (.3 mm)



## PRODUCTION AIDS

### DISPENSING NEEDLES

**EDN25-1** 25 Gauge Dispensing Needle- Blue (Set of 50) L: 1" (25.4 mm) ID: .012" (.3 mm)



**EDN25-1-M** 25 Gauge Dispensing Needle- Blue (Set of 1000) L: 1" (25.4 mm) ID: .012" (.3 mm)

**EDN25-1.5** 25 Gauge Dispensing Needle- Blue (Set of 50) L: 1.5" (38.1 mm) ID: .012" (.3 mm)

**EDN25-1.5-M** 25 Gauge Dispensing Needle- Blue (Set of 1000) L: 1.5" (38.1 mm) ID: .012" (.3 mm)

**EDN25-M** 25 Gauge Dispensing Needle- Blue (Set of 1000) L: 0.5" (12.7 mm) ID: .012" (.3 mm)

**EDN254-10** Dispensing Nozzle 2.5in(63.5mm Opening: 1/8" (3.2mm) (Bag of 10)

**EDN26** 26 Gauge Dispensing Needle- Cream (Set of 50) L: .50" (12.7 mm) ID: .011" (.279 mm)



**EDN26-1** 26 Gauge Dispensing Needle- Cream (Set of 50) L: 1" (25.4 mm) ID: .011" (.279 mm)

**EDN26-1-M** 26 Gauge Dispensing Needle- Cream (Set of 1000) L: 1" (25.4 mm) ID: .011" (.279 mm)

**EDN26-1.5** 26 Gauge Dispensing Needle- Cream (Set of 50) L: 1.5" (38.1 mm) ID: .011" (.279 mm)

**EDN26-1.5-M** 26 Gauge Dispensing Needle- Cream (Set of 1000) L: 1.5" (38.1 mm) ID: .011" (.28 mm)

**EDN26-M** 26 Gauge Dispensing Needle- Cream (Set of 1000) L: .50" (12.7 mm) ID: .01" (.254 mm)

**EDN27** 27 Gauge Dispensing Needle- Gray (Set of 50) L: .50" (12.7 mm) ID: .009" (.229 mm)

**EDN27-1** 27 Gauge Dispensing Needle- Gray (Set of 50) L: 1" (25.4 mm) ID: .009" (.229 mm)

**EDN27-1-M** 27 Gauge Dispensing Needle- Gray (Set of 1000) L: 1" (25.4 mm) ID: .009" (0.229 mm)

**EDN27-1.5** 27 Gauge Dispensing Needle- Gray (Set of 50) L: 1.5" (38.1 mm) ID: .009" (.229 mm)

**EDN27-1.5-M** 27 Gauge Dispensing Needle- Gray (Set of 1000) L: 1.5" (38.1 mm) ID: .009" (.23 mm)

**EDN27-M** 27 Gauge Dispensing Needle- Gray (Set of 1000) L: 0.5" (12.7 mm) ID: .009" (.229 mm)

## PRODUCTION AIDS

### DISPENSING NEEDLES

**EDN30** 30 Gauge Dispensing Needle- Lavender (Set of 50) L: .50" (12.7 mm) ID: .006" (.1524 mm)

**EDN30-1** 30 Gauge Dispensing Needle- Lavender (Set of 50) L: 1" (25.4 mm) ID: .006" (.1524 mm)

**EDN30-1-M** 30 Gauge Dispensing Needle- Lavender (Set of 1000) L: 1" (25.4 mm) ID: .006" (.1524 mm)

**EDN30-1.5** 30 Gauge Dispensing Needle- Lavender (Set of 50) L: 1.5" (38.1 mm) ID: .006" (.1524 mm)

**EDN30-1.5-M** 30 Gauge Dispensing Needle- Lavender (Set of 1000) L: 1.5" (38.1 mm) ID: .006" (.1524 mm)

**EDN30-M** 30 Gauge Dispensing Needle- Lavender (Set of 1000) L: .50" (12.7 mm) ID: .006" (.1524 mm)

**EDN30TX** 30 Gauge Teflon Dispensing Needle-Lavender (Set of 50) L: .5" (12.7 mm)



### AIR SYRINGES

**EDS3** 3cc Air Syringe with Stopper (Set of 50)



**EDS5** 5cc Air Syringe with Stopper (Set of 40)



**EDS10** 10cc Air Syringe with Stopper (Set of 30)



**EDS30** 30cc Air Syringe with Stopper (Set of 20)



**EDS30UV** 30cc Air Operated UV Black Syringe and Stopper (Set of 10)



**EDS30UVA** 30cc Air Operated UV Amber Syringe and Stopper (Set of 20)



## PRODUCTION AIDS

### MANUAL SYRINGES

**EDSM1-20** 1cc Assembled Calibrated Syringes (Set of 20)



**EDSM3** 3cc Manual Syringe Assembled and Calibrated (Set of 10)



**EDSM5** 5cc Manual Syringe Assembled and Calibrated (Set of 10)




**EDSM10** 10cc Manual Syringe Assembled and Calibrated (Set of 10)



**EDSM30** 30cc Manual Syringe Assembled and Calibrated (Set of 10)



**EDSM60** 60cc Manual Syringe Assembled and Calibrated (Set of 5)



**EDTC-B** Luer Lock Tip Cap-Black for All Dispensing Syringes (Set of 100)



**EDTC-B-M** Luer Lock Tip Cap-Black (Set of 1000)



### BOTTLES



**EPB-04**  
One-Touch Plastic Dispensing  
Pump Bottle - 4 oz.



**EPB-06**  
One-Touch Plastic Dispensing  
Pump Bottle - 6 oz.



**EPB-06Y**  
Yellow Dissipative ESD Safe  
One-Touch Dispensing Pump  
Bottle - 6 oz.

## PRODUCTION AIDS

### BOTTLES



**EPB08**

One-Touch Plastic Dispensing Pump Bottle - 8 oz.



**ESB05**

Poly Dispensing Bottle Set 1/2 oz.  
(10 Bottles) with Luer Lock Cap.



**ESB10**

Poly Dispensing Bottle Set 1 oz.  
(10 Bottles) with Luer Lock Cap.



**ESB20**

Poly Dispensing Bottle Set 2 oz.  
(10 Bottles) with Luer Lock Cap.



**ESB40**

Poly Dispensing Bottle Set 4 oz.  
(10 Bottles) with Luer Lock Cap.



**ESB80**

Poly Dispensing Bottle Set 8 oz.  
(10 Bottles) with Luer Lock Cap.

### FLOW-THROUGH BRUSHES



**EDB-16**

Flow-Through Brush Stiff 16 Gauge.



**EDB-16S**

Flow-Through Brush Soft 16 Gauge.



**EDB18**

Flow-Through Brush Stiff 18 Gauge.



**EDB18S**

Flow-Through Brush Soft 18 Gauge.



**EDB-22**

Flow-Through Brush Stiff 22 Gauge.



**EDB-22S**

Flow-Through Brush Soft 22 Gauge.

## HISTORY, MISSION, QUALITY

### HISTORY

Established in 1961, Edsyn has set the standard in quality engineering and manufacturing of high performance products for the electronics industry. Inventing the industry's first patented desoldering hand tool known as the Soldapullit, Edsyn launched a revolution in soldering and desoldering technology that continues to this day. Today, Edsyn's general product line has expanded and now includes a wide variety of hand tools, stations, systems and accessories used in the assembly, rework and repair of all types of electronic assemblies particularly those that incorporate the use of Surface Mount Technology.

### MISSION

To bring innovative ideas to life through quality engineering and commitment to high performance designs dedicated to suit customer needs.

### QUALITY

Total Quality is a responsibility and commitment at Edsyn. We believe this responsibility rests on every employee, and everyone is expected to comply with our Total Quality Standards and Policy at Edsyn. We call this EDSYN QUALITY which is symbolized by the "EQ" stamp and logo. By implementing and enforcing these standards we will be in a position to fulfill our mission, remain financially strong, increase market share, insure employee safety, remain socially responsible and continue to meet the needs of our customers worldwide.




## WARRANTY, RETURNS, RMA's & REPAIRS

### WARRANTY

Edsyn stands behind its products. We warrant that new tools will be free from defects for 90-days from the date of purchase. During this time period Edsyn will repair or, at its option, replace the tool at no charge. This warranty does not include tips and accessories. Any tool that appears to have been deliberately abused, altered, or destroyed is not covered by this warranty.

### RETURNS, RMA's & REPAIRS

Returns of unused Edsyn products to the Edsyn factory is allowed up to 30 days after the date product was shipped from Edsyn. Obsolete items are non-returnable. A 20% restocking fee will be strictly enforced and a substantial restocking order is required. Goods may not be returned to Edsyn without a RMA number issued before goods are returned. Goods returned without an RMA number will not be accepted. Used Goods being returned for repair or replacement must be returned by the customer directly to the Edsyn factory repair department. Edsyn will not accept debits from Authorized Edsyn Distributors for any goods replaced by the Distributor directly to the customer.





# TEDSYN®

...the power of precision



**Test Equipment  
Depot**



1-800-517-8431

99 Washington Street  
Melrose, MA 02176  
Phone 781-665-1400 Toll  
Free 1-800-517-8431



Visit us at [www.TestEquipmentDepot.com](http://www.TestEquipmentDepot.com)