

# Dranetz HDPQ Plus Power Quality Packages



**Test Equipment Depot**  
 1-800-517-8431

5 Commonwealth Ave  
 Woburn, MA 01801  
 Phone 781-665-1400  
 Toll Free 1-800-517-8431


Visit us at [www.TestEquipmentDepot.com](http://www.TestEquipmentDepot.com)



# Table of Contents

HDPQ Plus Family Features Comparison Guide	2
<b>HDPQ Visa Plus Packages</b>	
HDPQ-P-VA10PKG	3
HDPQ-P-VA500PKG	4
HDPQ-P-VA550PKG	5
HDPQ-P-VAFLEX3KPKG	6
HDPQ-P-VAFLEX6KPKG	7
HDPQ-P-VAMFLEX3PKG	8
<b>HDPQ Guide Plus Packages</b>	
HDPQ-P-Guide-A	9
HDPQ-P-GA10PKG	10
HDPQ-P-GA500PKG	11
HDPQ-P-GA550PKG	12
HDPQ-P-GAFLEX3KPKG	13
HDPQ-P-GAFLEX6KPKG	14
HDPQ-P-GAMFLEX3PKG	15
<b>HDPQ Xplorer Plus Packages</b>	
HDPQ-P-Xplorer-A	16
HDPQ-P-XA10PKG	17
HDPQ-P-XA500PKG	18
HDPQ-P-XA550PKG	19
HDPQ-P-XAFLEX3KPKG	20
HDPQ-P-XAFLEX6KPKG	21
HDPQ-P-XAMFLEX3PKG	22
<b>HDPQ Xplorer-400 Plus Packages</b>	
HDPQ-P-Xplorer-400-A	23
HDPQ-P-X4A10PKG	24
HDPQ-P-X4A500PKG	25
HDPQ-P-X4A550PKG	26
HDPQ-P-X4AFLEX3KPKG	27
HDPQ-P-X4AFLEX6KPKG	28
HDPQ-P-X4AMFLEX3PKG	29
<b>HDPQ Plus Probe Packages</b>	30

# Dranetz HDPQ Plus Family - Features Guide

	Feature	HDPQ Visa Plus	HDPQ Guide Plus	HDPQ Xplorer Plus	
Communications	Ethernet	●	●	●	
	Wi-Fi		●	●	
	Bluetooth	Optional	Optional	ON	
	USB	●	●	●	
	VNC for Full Remote Control of the Instrument	●	●	●	
	Apple & Android Apps for Remote control	●	●	●	
	GPS Time Synch (See Note below)	●	●	●	
Measurements	(4) Differential, AC/DC Voltage Channels, 0-1000V	●	●	●	
	(4) Differential, AC/DC Current Channels, FLEX Power	●	●	●	
	1000V Cat III, 600V CAT IV	●	●	●	
	IEC 61000-4-30 Class A Edition 3	●	●	●	
	512 Samples/Cycle/Channel on V & I	●	●	●	
	Sag/Dip, Swell	●	●	●	
	Transients to 32us/40us (60Hz/50Hz)	●	●	●	
	Transients to 1us			●	
	Demand & Energy	●	●	●	
	IEEE 1159 Advanced Energy		●	●	
	Harmonics V/I	127/63	127/63	127/63	
	EN 50160 Edition 3	●	●	●	
	400Hz monitoring			HDPQ Xplorer 400 Plus	
	Answer Modules	Motor Health	●	●	●
		Sag Directivity		●	●
		Power Factor Correction Capacitor		●	●
Setups	Automatic Setups for PQ, Demand & Energy	●	●	●	
	Manual Setup Wizard	●	●	●	
	Monitoring Modes	7	9	9	
	Max Pre/Post Trigger Cycles	100	10,000	10,000	
	# Transient Triggers	3	3	4	
Safety	 US	●	●	●	
	CE	●	●	●	

Note: GPS Time Synch requires optional GPS receiver and antenna.

# HDPQ Plus Power Quality Package

## HDPQ-P-VA10PKG



### HDPQ Visa Plus

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-VA500PKG



### HDPQ Visa Plus

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-VA550PKG



### HDPQ Visa Plus

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-VAFLEX3KPKG



### HDPQ Visa Plus

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-VAFLEX6KPKG



### HDPQ Visa Plus

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Plus Power Quality Package

## HDPQ-P-VAMFLEX3PKG



### HDPQ Visa Plus

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ-P-Guide-A



## HDPQ Guide Plus

**The Best Combination of Value & Technology in a PQ Analyzer**

**Safe, Powerful & Intelligent**

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.

# HDPQ Plus Power Quality Package

## HDPQ-P-GA10PKG



### HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-GA500PKG



### HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-GA550PKG



### HDPQ Guide Plus

**The Best Combination of Value & Technology in a PQ Analyzer**

**Safe, Powerful & Intelligent**

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-GAFLEX3KPKG



### HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-GAFLEX6KPKG



### HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-GAMFLEX3PKG



### HDPQ Guide Plus

**The Best Combination of Value & Technology in a PQ Analyzer**

**Safe, Powerful & Intelligent**

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ-P-Xplorer-A



## HDPQ Xplorer Plus

### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



## AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



## VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.

# HDPQ Plus Power Quality Package

## HDPQ-P-XA10PKG



### HDPQ Xplorer Plus

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-XA500PKG



### HDPQ Xplorer Plus

#### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-XA550PKG



### HDPQ Xplorer Plus

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-XAFLEX3KPKG



### HDPQ Xplorer Plus

#### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-XAFLEX6KPKG



### HDPQ Xplorer Plus

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-XAMFLEX3PKG



### HDPQ Xplorer Plus

#### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2” dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ-P-Xplorer-400-A



## HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



## AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



## VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



# HDPQ Plus Power Quality Package

## HDPQ-P-X4A10PKG



### HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
**Don't Miss An Event**

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-X4A500PKG



### HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-X4A550PKG



### HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
**Don't Miss An Event**

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-X4AFLEX3KPKG



### HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-X4AFLEX6KPKG



### HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
 Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

# HDPQ Plus Power Quality Package

## HDPQ-P-X4AMFLEX3PKG



### HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

## HDPQ Plus Probe Packages



### MFLEX6PKG-HD

#### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



### FLEX3K24PKG-HD

#### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### FLEX3K36PKG-HD

#### 1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



### FLEX3K48PKG-HD

#### 1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.



### FLEX6K24PKG-HD

#### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### FLEX6K36PKG-HD

#### 1- DRANFLEX6003XLB36 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB36 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



### FLEX6K48PKG-HD

#### 1- DRANFLEX6003XLB48 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB48 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.


# The Standard for Energy & Power Management



HDPQ-SP



HDPQ Plus




Fixed Systems




Dranetz Measurement Accessories

## DRAN-VIEW 7®



## PQView®



## PQView DE®

