

Dranetz HDPQ Plus Power Quality Packages


Test Equipment Depot
 1-800-517-8431

5 Commonwealth Ave
 Woburn, MA 01801
 Phone 781-665-1400
 Toll Free 1-800-517-8431


 Visit us at www.TestEquipmentDepot.com



Table of Contents

HDPQ Plus Family Features Comparison Guide	2
HDPQ Visa Plus Packages	
HDPQ-P-VA10PKG	3
HDPQ-P-VA500PKG	4
HDPQ-P-VA550PKG	5
HDPQ-P-VAFLEX3KPKG	6
HDPQ-P-VAFLEX6KPKG	7
HDPQ-P-VAMFLEX3PKG	8
HDPQ Guide Plus Packages	
HDPQ-P-Guide-A	9
HDPQ-P-GA10PKG	10
HDPQ-P-GA500PKG	11
HDPQ-P-GA550PKG	12
HDPQ-P-GAFLEX3KPKG	13
HDPQ-P-GAFLEX6KPKG	14
HDPQ-P-GAMFLEX3PKG	15
HDPQ Xplorer Plus Packages	
HDPQ-P-Xplorer-A	16
HDPQ-P-XA10PKG	17
HDPQ-P-XA500PKG	18
HDPQ-P-XA550PKG	19
HDPQ-P-XAFLEX3KPKG	20
HDPQ-P-XAFLEX6KPKG	21
HDPQ-P-XAMFLEX3PKG	22
HDPQ Xplorer-400 Plus Packages	
HDPQ-P-Xplorer-400-A	23
HDPQ-P-X4A10PKG	24
HDPQ-P-X4A500PKG	25
HDPQ-P-X4A550PKG	26
HDPQ-P-X4AFLEX3KPKG	27
HDPQ-P-X4AFLEX6KPKG	28
HDPQ-P-X4AMFLEX3PKG	29
HDPQ Plus Probe Packages	30

Dranetz HDPQ Plus Family - Features Guide

	Feature	HDPQ Visa Plus	HDPQ Guide Plus	HDPQ Xplorer Plus	
Communications	Ethernet	●	●	●	
	Wi-Fi		●	●	
	Bluetooth	Optional	Optional	ON	
	USB	●	●	●	
	VNC for Full Remote Control of the Instrument	●	●	●	
	Apple & Android Apps for Remote control	●	●	●	
	GPS Time Synch (See Note below)	●	●	●	
Measurements	(4) Differential, AC/DC Voltage Channels, 0-1000V	●	●	●	
	(4) Differential, AC/DC Current Channels, FLEX Power	●	●	●	
	1000V Cat III, 600V CAT IV	●	●	●	
	IEC 61000-4-30 Class A Edition 3	●	●	●	
	512 Samples/Cycle/Channel on V & I	●	●	●	
	Sag/Dip, Swell	●	●	●	
	Transients to 32us/40us (60Hz/50Hz)	●	●	●	
	Transients to 1us			●	
	Demand & Energy	●	●	●	
	IEEE 1159 Advanced Energy		●	●	
	Harmonics V/I	127/63	127/63	127/63	
	EN 50160 Edition 3	●	●	●	
	400Hz monitoring			HDPQ Xplorer 400 Plus	
	Answer Modules	Motor Health	●	●	●
		Sag Directivity		●	●
		Power Factor Correction Capacitor		●	●
	Setups	Automatic Setups for PQ, Demand & Energy	●	●	●
Manual Setup Wizard		●	●	●	
Monitoring Modes		7	9	9	
Max Pre/Post Trigger Cycles		100	10,000	10,000	
# Transient Triggers		3	3	4	
Safety	 US	●	●	●	
	CE	●	●	●	

Note: GPS Time Synch requires optional GPS receiver and antenna.

HDPQ Plus Power Quality Package

HDPQ-P-VA10PKG



HDPQ Visa Plus

The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-VA500PKG



HDPQ Visa Plus

The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-VA550PKG



HDPQ Visa Plus

The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-VAFLEX3KPKG



HDPQ Visa Plus

The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-VAFLEX6KPKG



HDPQ Visa Plus

The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-VAMFLEX3PKG



HDPQ Visa Plus

The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring – hands down!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ-P-Guide-A



HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.

HDPQ Plus Power Quality Package

HDPQ-P-GA10PKG



HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-GA500PKG



HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-GA550PKG



HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-GAFLEX3KPKG



HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the Dranetz HDPQ® Guide Plus than with any other instrument in its class!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-GAFLEX6KPKG



HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-GAMFLEX3PKG



HDPQ Guide Plus

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ-P-Xplorer-A



HDPQ Xplorer Plus

Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.

HDPQ Plus Power Quality Package

HDPQ-P-XA10PKG



HDPQ Xplorer Plus

Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-XA500PKG



HDPQ Xplorer Plus

Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-XA550PKG



HDPQ Xplorer Plus

Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-XAFLEX3KPKG



HDPQ Xplorer Plus

Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-XAFLEX6KPKG



HDPQ Xplorer Plus

Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-XAMFLEX3PKG



HDPQ Xplorer Plus

Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2” dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ-P-Xplorer-400-A



HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.

HDPQ Plus Power Quality Package

HDPQ-P-X4A10PKG



HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications
 Don't Miss An Event

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-X4A500PKG



HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications
Don't Miss An Event

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-X4A550PKG



HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications
 Don't Miss An Event

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-X4AFLEX3KPKG



HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-X4AFLEX6KPKG



HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications
 Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Power Quality Package

HDPQ-P-X4AMFLEX3PKG



HDPQ Xplorer 400 Plus

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



VCS-HDPQ-P Voltage Cable

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA.* Compatible with portable and permanent systems with 4mm voltage connectors.



4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2” dia. maximum conductor size, 1000V Max rated.



SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

HDPQ Plus Probe Packages



MFLEX6PKG-HD

4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



FLEX3K24PKG-HD

1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



FLEX3K36PKG-HD

1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



FLEX3K48PKG-HD

1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.



FLEX6K24PKG-HD

1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



FLEX6K36PKG-HD

1- DRANFLEX6003XLB36 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX6000XLB36 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



FLEX6K48PKG-HD

1- DRANFLEX6003XLB48 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

1- DRANFLEX6000XLB48 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

