

# Dranetz HDPQ Plus Power Quality Packages



# **Table of Contents**

HDPQ Plus Family Features Comparison Guide	2
HDPQ Visa Plus Packages	
HDPQ-P-VA10PKG	3
HDPQ-P-VA500PKG	4
HDPQ-P-VA550PKG	5
HDPQ-P-VAFLEX3KPKG	6
HDPQ-P-VAFLEX6KPKG	7
HDPQ-P-VAMFLEX3PKG	8
HDPQ Guide Plus Packages	
HDPQ-P-Guide-A	9
HDPQ-P-GA10PKG	10
HDPQ-P-GA500PKG	11
HDPQ-P-GA550PKG	12
HDPQ-P-GAFLEX3KPKG	13
HDPQ-P-GAFLEX6KPKG	14
HDPQ-P-GAMFLEX3PKG	15
HDPQ Xplorer Plus Packages	
HDPQ-P-Xplorer-A	16
HDPQ-P-XA10PKG	17
HDPQ-P-XA500PKG	18
HDPQ-P-XA550PKG	19
HDPQ-P-XAFLEX3KPKG	20
HDPQ-P-XAFLEX6KPKG	21
HDPQ-P-XAMFLEX3PKG	22
HDPQ Xplorer-400 Plus Packages	
HDPQ-P-Xplorer-400-A	23
HDPQ-P-X4A10PKG	24
HDPQ-P-X4A500PKG	25
HDPQ-P-X4A550PKG	26
HDPQ-P-X4AFLEX3KPKG	27
HDPQ-P-X4AFLEX6KPKG	28
HDPQ-P-X4AMFLEX3PKG	29
HDPQ Plus Probe Packages	30

# **Dranetz HDPQ Plus Family - Features Guide**

	Feature	HDPQ Visa Plus	HDPQ Guide Plus	HDPQ Xplorer Plu
Communications	Ethernet	•	•	•
	Wi-Fi		•	•
	Bluetooth	Optional	Optional	ON
	USB	•	•	•
	VNC for Full Remote Control of the Instrument	•	•	•
	Apple & Android Apps for Remote control	•	•	•
	GPS Time Synch (See Note below)	•	•	•
Measurements	(4) Differential, AC/DC Voltage Channels, 0-1000V	•	•	•
	(4) Differential, AC/DC Current Channels, FLEX Power	•	•	•
	1000V Cat III, 600V CAT IV	•	•	•
	IEC 61000-4-30 Class A Edition 3	•	•	•
	512 Samples/Cycle/Channel on V & I	•	•	•
	Sag/Dip, Swell	•	•	•
	Transients to 32us/40us (60Hz/50Hz)	•	•	•
	Transients to 1us			•
	Demand & Energy	•	•	•
	IEEE 1159 Advanced Energy		•	•
	Harmonics V/I	127/63	127/63	127/63
	EN 50160 Edition 3	•	•	•
	400Hz monitoring			HDPQ Xplorer 400 Plus
Answer Modules	Motor Health	•	•	•
	Sag Directivity		•	•
	Power Factor Correction Capacitor		•	•
Setups	Automatic Setups for PQ, Demand & Energy	•	•	•
	Manual Setup Wizard	•	•	•
	Monitoring Modes	7	9	9
	Max Pre/Post Trigger Cycles	100	10,000	10,000
	# Transient Triggers	3	3	4
Safety	c (UL) us	•	•	•
	CE	•	•	•



# HDPQ-P-VA10PKG



### **HDPQ Visa Plus**

### The Best Value in PQ & Energy Monitoring

The **Dranetz HDPQ® Visa Plus** is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7P-PX



# HDPQ-P-VA500PKG



### **HDPQ Visa Plus**

### The Best Value in PQ & Energy Monitoring

The **Dranetz HDPQ® Visa Plus** is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7P-PX



# HDPQ-P-VA550PKG



### **HDPQ Visa Plus**

### The Best Value in PQ & Energy Monitoring

The **Dranetz HDPQ® Visa Plus** is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7P-PX



# HDPQ-P-VAFLEX3KPKG



### **HDPQ Visa Plus**

### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa Plus is the best value in Power Quality and Energy monitoring - hands down!



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 -White alligator clips; 4 - Black 25 cm stackable jumpers; Wire Marker kit for Current Probes, Snap-on, .218 DIA. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7P-PX



# HDPQ-P-VAFLEX6KPKG



### **HDPQ Visa Plus**

### The Best Value in PQ & Energy Monitoring

The **Dranetz HDPQ® Visa Plus** is the best value in Power Quality and Energy monitoring – hands down!



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7P-PX



# HDPQ-P-VAMFLEX3PKG



### **HDPQ Visa Plus**

### The Best Value in PQ & Energy Monitoring

The **Dranetz HDPQ® Visa Plus** is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7P-PX





# **HDPQ-P-Guide-A**

### **HDPQ Guide Plus**

### The Best Combination of Value & Technology in a PQ Analyzer

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray, 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



# HDPQ-P-GA10PKG



### **HDPQ Guide Plus**

### The Best Combination of Value & Technology in a PQ Analyzer

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-GA500PKG



### **HDPQ Guide Plus**

### The Best Combination of Value & Technology in a PQ Analyzer

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX



# HDPQ-P-GA550PKG



### **HDPQ Guide Plus**

### The Best Combination of Value & Technology in a PQ Analyzer

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-GAFLEX3KPKG



### **HDPQ Guide Plus**

### The Best Combination of Value & Technology in a PQ Analyzer

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the Dranetz HDPQ® Guide Plus than with any other instrument in its class!



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 -White alligator clips; 4 - Black 25 cm stackable jumpers; Wire Marker kit for Current Probes, Snap-on, .218 DIA. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-GAFLEX6KPKG



### **HDPQ Guide Plus**

### The Best Combination of Value & Technology in a PQ Analyzer

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the Dranetz HDPQ® Guide Plus than with any other instrument in its class!



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 -White alligator clips; 4 - Black 25 cm stackable jumpers; Wire Marker kit for Current Probes, Snap-on, .218 DIA. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-GAMFLEX3PKG



### **HDPQ Guide Plus**

### The Best Combination of Value & Technology in a PQ Analyzer

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide Plus** than with any other instrument in its class!



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX







### **HDPQ Xplorer Plus**

### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



# HDPQ-P-XA10PKG



### **HDPQ Xplorer Plus**

### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ Plus Power Quality Package HDPQ-P-XA500PKG



### **HDPQ Xplorer Plus**

### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 - TR-2500B 10A to 500Arms CT

 $1.5 V\ output,\ Dranetz\ Hypertronics\ connector,\ 3\ meter\ cable,\ 50 mm\ dia.\ maximum\ conductor\ size.$ 



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ Plus Power Quality Package HDPQ-P-XA550PKG



### **HDPQ Xplorer Plus**

### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-XAFLEX3KPKG



### **HDPQ Xplorer Plus**

### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer Plus merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 -White alligator clips; 4 - Black 25 cm stackable jumpers; Wire Marker kit for Current Probes, Snap-on, .218 DIA. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-XAFLEX6KPKG



### **HDPQ Xplorer Plus**

### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer Plus merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 -White alligator clips; 4 - Black 25 cm stackable jumpers; Wire Marker kit for Current Probes, Snap-on, .218 DIA. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-XAMFLEX3PKG



### **HDPQ Xplorer Plus**

### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX



# **HDPQ-P-Xplorer-400-A**



### **HDPQ Xplorer 400 Plus**

### Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

### **Don't Miss An Event**

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



# HDPQ-P-X4A10PKG



### **HDPQ Xplorer 400 Plus**

### Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

### **Don't Miss An Event**

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-X4A500PKG



### **HDPQ Xplorer 400 Plus**

### Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

### **Don't Miss An Event**

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ Plus Power Quality Package HDPQ-P-X4A550PKG



### **HDPQ Xplorer 400 Plus**

### Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

### **Don't Miss An Event**

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX



# HDPQ-P-X4AFLEX3KPKG



### **HDPQ Xplorer 400 Plus**

### Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

### **Don't Miss An Event**

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 -White alligator clips; 4 - Black 25 cm stackable jumpers; Wire Marker kit for Current Probes, Snap-on, .218 DIA. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# **HDPQ** Plus Power Quality Package HDPQ-P-X4AFLEX6KPKG



### **HDPQ Xplorer 400 Plus**

### Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

### **Don't Miss An Event**

The Dranetz HDPQ® Xplorer 400 Plus merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 -White alligator clips; 4 - Black 25 cm stackable jumpers; Wire Marker kit for Current Probes, Snap-on, .218 DIA. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



# HDPQ-P-X4AMFLEX3PKG



### **HDPQ Xplorer 400 Plus**

### Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications

### **Don't Miss An Event**

The **Dranetz HDPQ® Xplorer 400 Plus** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### **AC Adapter 118317-G1**

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### **VCS-HDPQ-P Voltage Cable**

Includes: 8 - Six ft. (183cm) measurement cables: 4 White, 1 Red, 1 Yellow, 1 Blue, 1 Gray; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers; *Wire Marker kit for Current Probes, Snap-on, .218 DIA*. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated



#### **SCC-HDPQ Soft Carry Case**

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX



### **HDPQ** Plus Probe Packages



### MFLEX6PKG-HD

### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



### FLEX3K24PKG-HD

### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### FLEX3K36PKG-HD

### 1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



### FLEX3K48PKG-HD

### 1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.



### FLEX6K24PKG-HD

#### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated

### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### FLEX6K36PKG-HD

### 1- DRANFLEX6003XLB36 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB36 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



### FLEX6K48PKG-HD

### 1- DRANFLEX6003XLB48 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB48 Single phase flex probe 60/600/6000Amp


6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.



### The Standard for Energy & Power Management









**PQView DE**®

