## 12:1 DUAL-LASER INFRARED THERMOMETER



TOOLS

For Professionals... Since 1857



The IR5 is a professional dual-laser targeting infrared thermometer that offers a wide measurement range, a tight distance-to-spot ratio, and several calculation modes to facilitate different temperature measurement applications.

## Features:

- Dual-laser Targeting
- 12:1 Distance to spot ratio
- Auto Scan
- Max/Min/Avg/Diff
- High/Low Alarm
- Backlit Display
- Auto Power Off
- Adjustable Emissivity




-22° – 752° F -30° – 400° C



## IR5 12:1 Dual-Laser Infrared Thermometer





The IR5 dual lasers assist in targeting the measurement area. The distance between the two laser spots on the surface of the object being measured approximates the diameter of the circular measurement area from which the infrared sensor is collecting data.

## Measurement

| Dual-Laser Targeting  | r           | •                                |  |
|-----------------------|-------------|----------------------------------|--|
| Temperature           | °F/°C       | -22° – 752° F<br>(-30° – 400° C) |  |
| Backlight             | <b>.</b> ∳4 | •                                |  |
| High/Low Alarm        | HIVO        | •                                |  |
| Max/Min Value         | MAX/MIN     | •                                |  |
| Auto Power-Off        | Apo         | •                                |  |
| Data Hold             | HOLD        | •                                |  |
| Adjustable Emissivity | A.          | 0.10 – 1.00                      |  |
| Durability            |             |                                  |  |
| Drop Protection       | W.          | 6.6 ft.                          |  |



(2 m)







| Cat. No. | UPC# 0-92644+ | Batteries | Height         | Width         | Depth          | Weight (oz.) |
|----------|---------------|-----------|----------------|---------------|----------------|--------------|
| IR5      | 69030-3       | 1 x 9V    | 6.83" (173 mm) | 1.85° (47 mm) | 4.53' (115 mm) | 9.84 (279 g) |
|          |               |           |                |               |                |              |



**Drop Protection** 

**A CAUTION:** Reflective materials may be hotter than indicated. Laser radiation-Do NOT stare into beam. Class 2 laser product.



99 Washington Street Melrose, MA 02176 Phone 781-665-1400 Toll Free 1-800-517-8431





