

Operating & Instruction Manual



Test Equipment 99 Washington Street 1-800-517-8431

Depot Melrose, MA 02176 Phone 781-665-1400 Toll Free 1-800-517-8431



IMPORTANT SAFETY INFORMATION

Read and understand these instructions prior to use. These operating instructions are not a substitute for proper training in the use of this equipment. High voltage systems present serious hazards, including the risk of death or serious injury due to arcing, thermal burns and electrocution. HD Electric's products are intended solely for use by professionals with knowledge, training and experience in the use of the equipment and its accessories in and around high voltage systems.

All applicable federal, state, company and OSHA work practices must be followed. If you are unfamiliar with the work practices required, **DO NOT PROCEED**. Call HD Electric if you have any questions regarding this equipment. Important labels are affixed to the products. Read and understand each of them before proceeding.

These tools may require the use of accessory hot sticks, which may or may not be supplied. The minimum hot stick length required for safe use depends upon the particular operation; consult federal, state, company or OSHA specifications for the proper hot stick length for the intended operation.

The users of this device should always be equipped with personal protective equipment including high voltage gloves, flame retardant clothing and eye and face protection. Some applications may require additional protective equipment.

Failure to follow these and other warnings and safety precautions may result in severe injury or death.

NOTICES - This product is designed for use by professionals trained in its use and application in and around high voltage electrical equipment. If you are not trained in the work methods required for safe operation, do not proceed until you obtain the training. CAUTIONS - This product was tested before leaving the factory but it must be inspected prior to and after each use for proper working condition. If any defect or condition is noted, do not use this product. Remove from service and arrange for repair. WARNINGS - Rigorous hot stick work precautions and all OSHA and company work practices must be followed. Always wear approved cover-up and safety equipment. Read and understand instructions prior to use. Misuse and abuse of this product can lead to severe injury or death.

GENERAL DESCRIPTION

The PF-50 is a cable identifier system designed for identifying overhead and underground cables from one end to the other. The system consists of two similar tools; a Transmitter and a Receiver. The Transmitter is connected on one end of the cable to be identified and the Receiver on the other end. Red lights on both units lights indicate that the signal sent by the Transmitter has been received and that both Transmitter and Receiver are connected to the same cable.

These HD Electric tools are designed for use only on cables that have been verified to be both deenergized and discharged. These tools do not have any capability to withstand any externally applied voltage.

These tools are designed to be hand held with or without voltage insulating gloves. These tools include a universal spline connection for use with hot sticks to allow the user to maintain a distance from the equipment or cable terminals being tested, but use with hot sticks does not allow the application of these tools on energized systems.


The alligator clip on the end of the coil cord must always be connected to ground prior to connecting the tool to the cable and should be removed from ground only after cable testing is completed.

Both Transmitter and Receiver are powered by 9V lithium or alkaline batteries which can be accessed on the top of each unit.

OPERATING INSTRUCTIONS

WARNING: Before using the tools, test and inspect both the Transmitter and Receiver to insure that they are functioning properly and are in safe, working condition. Note that the transmitter supplies 50VDC at the probe. Before making any cable tests inspect the tool as follows:

- Connect the two ground clips to each other.
- Turn on both the Transmitter and Receiver using the front panel switches. Replace the 9V battery if the green light is not on.





Before attempting cable identification using the PF-50, isolate, test and ground the cable to be identified.

- 1) Connect the ground clips on each unit to a known system ground. Turn on both the Transmitter and Receiver. The green lights on both units indicate good batteries.
- 2) Touch the Transmitter to one end of the cable to be identified.
- 3) Touch the Receiver to the opposite end of the cable to be identified. Red lights on both units indicate the Receiver is connected to the same cable as the Transmitter.
- 4) After the cable has been identified, remove both the Transmitter and Receiver from the identified cable, remove their ground clips from the ground connection and turn them off.

SPECIFICATIONS:

MAXIMUM UNDERGROUND CABLE LENGTH: 5,000 ft.

BATTERY: 9V lithium or alkaline



TERMS AND CONDITIONS OF SALE

HD Electric Company is herein referred to either as "HDE" or "Seller" and the customer or person or entity purchasing goods or services (hereinafter collectively referred to as "Goods") is referred to as the "Buyer". These Terms and Conditions, any price list or schedule, quotation, acknowledgment or invoice from HDE relevant to the sale of the Goods and all documents incorporated by specific reference therein, constitute the complete and exclusive statement of the terms of the agreement governing the sale of Goods by HDE to Buyer, Buyer's acceptance of the Goods will make buyer's assertance to these terms and conditions without variation or addition. Any different or additional terms in Buyer's purchase order or other Buyer documents are hereby objected to. HDE reserves the right in its sole discretion to refuse orders.

1. PRICES AND TAXES: Unless a fixed price is quoted, the price at which this order is accepted is subject to adjustment to HDE's price in effect at the time of order. Any current or future tax or governmental charge (or increase in same) affecting Seleri's costs or production, sale or delivery or which Seleri is otherwise required to pay or collect in connection with the sale, purchase, delivery, storage, processing, use or consumption of Goods (but excluding any fave on Seleri's net increase in some or profit) shale be for Buyer's account and shall be added to the price.

2. TERMS OF PAYMENT: Terms are stated on HDE's invoice in U.S. currency. HDE shall have the right, among other remedies, either to terminate this agreement or to suspend further performance under this and/or other agreements with the Buyer in the event Buyer falls to make any payment when due, which other agreements Buyer and Seleth hereby in earned accordingly, or HDE otherwise deems itself insecure. Buyer shall be liable for all expenses, including attorneys' less, retaining to the collection of past due amounts. Should Buyer is financial responsibility become unastiended to HDE. Cash payments or security staffscarlory to HDE may be required by HDE for fluture deliveries and for the goods therefolder delivered. If such cash payment or security is not provided, in addition to HDE's other rights and remedies, HDE may discontinue deliveries. HDE may apply a finance charge for payments made by credit card.

3. SHPMENT AND DELNERY. Unless otherwise expressly provided, shipments are made F.O.B. HDE's shipping point, Risk of loss or dramaps and responsibility shall pass from HDE to Buyer topon delivery to and inceptly promormor carriers. Any claims for shortages or dramages and selfered in transit are the responsibility of buyer and shall be sub-unified by the Buyer directly to the carriers. Shortages or dramages must be acknowledged and signed for at the time of delivery, While HDE will use all responsible commercial efforts to maintain the delivery date(s) acknowledged or quoted ship HDE, all shipping dates are approximate and not guaranteed. HDE reserves the right to make partial shipments. HDE, at the principal carriers are provided ship with the ship and the ship of the

4. HDE LIMITED WARRANTY: HDE covers is products with a manufacturer's warranty against defects in material or workmanship or the versus to expend or fire years in the case of Capacitor Controls and in all other circumstances for a period of new years in the case of Capacitor Controls and in all other circumstances for a period of new years in the case of Capacitor Controls and in all other circumstances for a period of new years in the case of Capacitor Controls and in all other circumstances or a period of the years in the case of Capacitor Controls and in all other circumstances or a period of the years in the case of Capacitor Controls of the years in the Case of Capacitor Controls of the years of Capacitor Controls of the years of the Capacitor Controls of the Capacitor Controls of the Years of Years of Capacitor Controls of Years of Yea

S. LIMITATION OF REMEDY AND LIABILITY: THE SOLE AND EXCLUSIVE REMEDY FOR BREACH OF ANY WARRANTY HEREUNDER SHALL BE LIMITED TO REPAIR, CORRECTION, REPLACEMENT OF REPORT AND REPLACEMENT OF RESERVENCY AND REPLACEMENT OF REPLACEMENT OF

6. EXCUSE OF PERFORMANCE (FORCE MAJEURE): HDE shall not be liable for delays in performance or for non-performance due to acts of God, acts of Buyer, war, fire; flood; weather; sabotage; strikes, labor disputes, o'dil disturbances or rioks; governmental requests, restrictions, allocations, laws, regulations, orders or actions; unavailability of or delays in transportation; default of suppliers; or unforeseen circumstances or events beyond HDE's reasonable control. Deliverse or other performance may be suspended for a naceportage bend or cancelled by HDE govon foots to the fevent of any of the foetogon, but the balance of this agreement shall otherwise remain unaffected. IHDE determines that its ability to supply the total demand for the Goods, or to obtain material used directly or indirectly in the manufacture of the Goods, is hindered, limited or made impranticable use to causes set forth herein, HDE may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or materials) among itself and its purchasers on such basis as HDE determines to be equitable without liability for any failure of performance which may result therefrom.

7. CHANGES: HDE reserves the right to change designs and specifications for standard Goods without prior notice to Buyer, but not with respect to custom Goods being made for Buyer. HDE shall have no obligation to install or make such change in any Goods manufactured prior to the date of such change.

8. ASSIGNMENT: Buyer shall not assign its rights or delegate its duties hereunder or any interest herein without the prior written consent of HDE, and any such assignment, without such consent, shall be void.

9. INSTALLATION: Buyer shall be responsible for receiving, inspecting, testing, storing, installing, starting up and maintaining all Goods

10. NSPECTIONTESTING: Buyer, at its exposes, agrees that it will promptly inspect the Goods upon receipt thereof, and in no event inset than thirty (30) days from the date of receipt of the Goods. Buyer shall deliver in IDE within iffering its light and indicated into the control, but in or went let than Indy-lived (36) days from the date of receipt of the Goods so received by Buyer. In the event no such written notice of any and all deficiencies, deficiency activates may be into the comparison of the Goods so received by Buyer. In the event no such written notice is received by HDE. Buyer shall be deemed conclusively to have inspected and such Goods unconditionally and of large than of dealines, including withintion any right to reject the Goods or local medianges in respect the resource of calm damages in respect the resource that is advantaged by HDE, are stored by HDE. Buyer may not return goods without first advairing HDE of the reasons therefore, obtaining from HDE a material authorization number and observing such instructions as HDE may give in authorizing such return. In the event a return is authorized by HDE, are resourcing for any Goods requiring repackaging or maintenance a term present (2015), restording fee shall be assessed to Buyer in the final credit amount.

11. SERVICEs: If this agreement requires HDE to perform or provide any services, HDE (including without limitation its successors, assigns, agents or any person or entity acting at HDE's direction) shall not be responsible for any damages, claims, liabilities or expenses of any nature arising out of such services.

12. U.S. EXPORT CONTROL LAWS: All Goods sold to Buyer by HDE hereunder are subject to U.S. Export Control Laws. Buyer hereby agrees not to re-sell or divert any goods contrary to such laws

13. COMPLIANCE: Selevic/contractor shall comply with all applicable federal, state or local laws, nules, regulations, or orders. Selevic/contractor shall comply with Executive Order 11246, as amended by Executive Order 11367, and the applicable provisions or of the Office of Federal contract Compliance Programs (OFCCP), 41 CFR Part Roll, which are incorporated therein by their efference, Buyer shall comply with all applicable federal, state, or local laws, nules, regulations or orders including but not limited to the Foreign Corrupt Practices Act of 1977, as amended. HDE reserves the right to delay or refuse delivery if requests for reasonable assurances of Buyer's compliance are not tendered as requested.

15. DISPUTE RESOLUTION: In the event of any dispute INCLUDING, BUT NOT LIMITED TO, BREACH OF CONTRACT, BREACH OF WARRANTY, CLAIMS BASED IN TORT, NEGLIGENCE, PRODUCT LIABILITY, FRAUD, MARKETING, STATE OR FEDERAL REGULATIONS, ANY CLAIMS REGARDING THE ENFORCEABILITY OF THIS LIMITED WARRANTY, AND THE WAIVER OF CLASS ACTION TRIALS between Buyer and Seller, either may choose to resolve the dispute by binding arbitration, as described below, instead of in out. THIS MEANS IF EITHERY OR SELLER CHOOSE BINDING ARBITRATION, DIFFIER PARTY SHALL HAVE THE RIGHT TO LITIGATE SUCH CLAIM IN COURT OR HAVE A JURY TRIAL. DISCOVERY AND APPEAL RIGHTS ARE LIMITED IN BINDING ARBITRATION. Buyer and Seller agree that the proper wanter Arbitration in sits or shorten by Buyer or Seller of all actions arising in connection herewith shall be only in the state of liminos and the gaine size bush invision state. On the connection the seventh arbitration of the discovered by the property of the property of the international Sales of Goods shall not anyly to this connection.

16. CLASS ACTION WAIVER: BINDING ARBITRATION MUST BE ON AN INDIVIDUAL BASIS. THIS MEANS NEITHER BUYER NOR SELLER MAY JOIN OR CONSOLIDATE CLAIMS IN ARBITRATION BY OR AGAINST OTHERS, OR LITIGATE IN COURT OR ARBITRATE ANY CLAIMS AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE AT TORNEY GENERAL CAPACITY. ADMINISTRATION OF A PRIVATE AND A PRIVATE AT TORNEY GENERAL CAPACITY. ADMINISTRATION OF A PRIVATE AND A PRIVATE AT TORNEY GENERAL CAPACITY. ADMINISTRATION OF A PRIVATE AND A PRIVATE

HD Electric Company is committed to ongoing review and improvement of its product lines, and thus reserves the right to modify product design and specifications without notice.

HD Electric Company® products are available through HDE® sales representatives worldwide.

HD Electric products receive final assembly and shipment from HDE's production facility at

Suite 400 - 4320 Executive Drive, Southaven, MS 38672.

HD Electric Company is ISO 9001:2015 certified