Quick SILVER[™] Powdered Buffer Packs



BUICK SIL VER

arch Use Only

Lot : 310224 Exp. 06/2021

Quick SILVER

ACCURIS!

50 Pouches

1 X TBE Rem #: 8F1001

99 Washington Street Melrose, MA 02176 Phone 781-665-1400 Toll Free 1-800-517-8431

QUICK SILVER

Visit us at www.TestEquipmentDepot.com

OUICK CONVENIENT **ECONOMICAL** - 1 -Accuris QuickSilver Powdered Buffer Packs... Fresh buffer when you need it

- Premeasured pouches make 1 liter of 1X buffer solution
- Just empty pouch into water and stir - no diluting of stock solutions
- No pH adjustment necessary
- Quality and consistency guaranteed
- Nuclease and protease free
- Long shelf life

Electrophoresis Buffers: TBE TAE Fast Running Buffer Tris-Glycine SDS MOPS MES

Western Blotting, ELISA and Cell Culture: TBS TBST PBS PBST



Quick SILVER^M Powdered Buffer Packs

Our premeasured powdered packs offer extreme convenience and will change the way you prepare buffers in your lab.



Supplied in easy-open foil packs




Quickly dissolves in water



Includes preprinted ID labels







QuickSilver™ TAE (Tris-acetate-EDTA)

TAE is ideal for separation of large DNA fragments in agarose gels and is used as running buffer and in gel preparation. TAE is the buffer of choice when recovering DNA from gels and when downstream processing involves enzymatic reactions. Final concentration of a 1X working solution is 40mM Tris, 20mM acetic acid, 1mM EDTA.

EB1000 QuickSilver TAE Buffer, 1X, 100 packs \$165

QuickSilver[™] TBE (Tris-borate-EDTA)

TBE is used in gel preparation and as a running buffer for electrophoresis of nucleic acids. TBE works best for resolution of smaller fragments (<2kb). Its higher buffering capacity makes it useful for longer runs. The final concentration of a 1X working solution is 89mM Tris, 89mM boric acid, 2mM EDTA.

EB1001 QuickSilver TBE Buffer, 1X, 50 packs

\$145

QuickSilver[™] Fast Running Buffer

QuickSilver Fast Running Buffer is a proprietary blend formulated for agarose gel electrophoresis at high voltage (300-350V). Its strong buffering capacity minimizes heat generation all allows for extremely fast separation of fragments smaller that 5kb. A typical 30 minute run can be performed in just 10 minutes using this buffer.

Protein Electrophoresis Buffers

QuickSilver[™] TGS (Tris Glycine-SDS)

Tris Glycine-SDS is one of the most common running buffers used for SDS-PAGE. A 1X solution contains 25mM Tris, 192mM Glycine and 0.1% SDS.

EB1100 QuickSilver Tris Glycine-SDS Buffer, 1X, 50 packs

QuickSilver[™] MES-SDS

Small to medium molecular weight proteins can be resolved on SDS-PAGE gels using MES-SDS as a running buffer. Proteins resolve faster in gels using MES-SDS as a running buffer than those using MOPS-SDS. A 1X solution has a final concentration of 50mM Tris, 50mM MES, 0.1% SDS and 1mM EDTA.


EB1101 QuickSilver MES-SDS Buffer, 1X, 50 packs

QuickSilver[™] MOPS-SDS

MOPS-SDS is ideal for use as a running buffer when resolving medium to large proteins with SDS-PAGE. Gels run with MOPS-SDS buffer run slower than those using MES-SDS buffer. The final concentration of a 1X working solution is 50mM Tris, 50mM MOPS, 0.1% SDS and 1mM EDTA.

EB1102

QuickSilver MOPS-SDS, 1X, 50 packs



Western Blotting, ELISA, Cell Culture, Chromatography

\$130

\$260

\$260

QuickSilver[™] PBS and PBST

Because its osmolality and ion concentration closely mimic that of the human body, PBS is commonly used for cell culture applications, as well as HPLC and MS. PBST is a wash buffer and diluent for ELISA. The 1X PBS solution contains 137mN NaCl, 2.7mM KCl and 10mM phosphate. PBST is supplemented with 0.05% Tween-20.

EB1200	QuickSilver PBS Buffer, 1X, 100 packs	\$94
EB1201	QuickSilver PBST Buffer, 1X, 100 packs	\$97

QuickSilver[™] TBS and TBST

TBS and TBST are used to maintain pH within a very narrow range for a variety of applications including western blotting and immunoassays. The final concentration of a 1X working solution is 137mM NaCl, 2.7mM KCl, 50mM Tris. In addition, 1X TBST contains 0.1% Tween-20.

EB1202	QuickSilver TBS buffer, 1X, 100 packs	\$148
EB1203	QuickSilver TBST buffer, 1X, 100 packs	\$151





Also available from Accuris Life Science Reagents

SmartGlow[™] Safe Nucleic Acid Stain

SmartGlow is a safe alternative to ethidium bromide for visualization of DNA in agarose gels. >Excitation by UV or blue light >Non-mutagenic, environmentally safe >No special disposal methods required >20,000X Prestain or 6X Loading Dye

E4500-LDSmartGlow Loading Dye w/Safe Green Stain, 1ml\$102E4500-PSSmartGlow Safe Green Prestain, 1ml\$102

SmartCheck[™] DNA Ladders

SmartCheck DNA Ladders are designed for fast and accurate DNA sizing in agarose gels.

- >Three sizes 50bp, 100bp and 1kb
- >Ready to use formulation with loading buffer and tracking dyes
- >Higher intensity reference bands
- >Each tube is suitable for 500 lanes (5µl/lane)
 >Ultra-pure production allows for economical ambient shipping

PR4005-500SmartCheck DNA Ladder, 50bp, 500 lanes\$179PR4010-500SmartCheck DNA Ladder, 100bp, 500 lanes\$179PR4100-500SmartCheck DNA Ladder, 1kb- 500 lanes\$179

Benchmark Agarose LE

Benchmark Agarose LE is a general purpose agarose. Highly purified, it is refined using an advanced process that excludes the use of organic solvents. >Enhanced resolution and clarity >Low EEO/increased electrophoretic mobility >RNase, DNase and Protease free


>Green choice - free from organic solvents

A1700	Benchmark Agarose LE, 25g	\$44		
A1701	Benchmark Agarose LE, 100g	\$107		
A1705	Benchmark Agarose LE, 500g	\$377		
Benchmark Agarose LE is also available in convenient 0.5g tablets. Low				
Melt, High Resolution and Blended 3:1 agaroses are also available. Check				
our website for details.				





*Excitation with Accuris SmartBlue[™] Transilluminator. Imaged using Accuris SmartDoc[™] and an iPhone[®] 8.







99 Washington Street Melrose, MA 02176 Phone 781-665-1400 Toll Free 1-800-517-8431

Visit us at www.TestEquipmentDepot.com

100 bp ladder