


Twist-a-Nut™ Screwdrivers





21-in-1 Twist-a-Nut™



- Premium screwdriver ratchet mechanism can handle high torque without failure
- Ergonomic, slip resistant comfort grip

Patented Wire-Nut® wrench accepts a wide variety of connectors.









B-Cap®

Wing-Nut® Wire-Nut®

Twister®



PREMIUM RATCHET **HIGH TORQUE**

All-Metal Ratchet

- · Pro-quality, 28 tooth double action, twin-tooth ratchet
- 225 lbs of torque (stronger than human wrist can torque)





#1 PHILLIPS #2 PHILLIPS #3 PHILLIPS



3/16" SLOTTED 1/4" SLOTTED 5/16" SLOTTED



#1 SQUARE #2 SQUARE



#15 STAR #20 STAR #25 STAR #30 STAR



3/32" HEX 1/8" HEX 3/16" HEX 5/32"HEX



1/4" NUT DRIVER 5/16" NUT DRIVER 7/16" NUT DRIVER

9-in-1 Ratch-a-Nut™

- Ratcheting wire connector wrench prevents finger fatigue and gets in tight spots
- Premium screwdriver ratchet mechanism can handle high torque without failure
- Ergonomic, slip resistant comfort grip

Patented Wire-Nut® wrench accepts a wide variety of connectors.











Textured Santoprene™ grip provides excellent torque and resists perspiration, water, oil and chemicals

ap® Wing-Nut® Wire-Nut®

Accu-Loop™ Wire

Looping Hole

Twister®

Six torsion bars provide exceptional grip

Ratcheting Wire-Nut™ Connector Wrench

- Prevents finger fatigue and gets in tight spots
- Accepts a wide variety of IDEAL wire connectors




RATCHETS AT BOTH ENDS



All-Metal Ratchet

- Pro-quality, 28 tooth double action, twin-tooth ratchet
- 225 lbs of torque (stronger than human wrist can torque)





7-in-1 Twist-a-Nut™

Wire-Nut[™] Connector Wrench

Universal connector wrench in handle to help install twist-on wire connectors

Accu-Loop™

Wire-looping hole in handle

Twist-a-Nut[™] Handle

Interchangeable with new conduit deburrer head and 6-in-1 Tap Tool

Chrome Vanadium Steel Shaft

Heavy duty chrome vanadium steel shaft









6-in-1 Twist-a-Nut™ Tapping Tool





Hooded tip tightens EMT fitting set screws without slipping

in. and 1 in. EMT conduit

- Square tip "seats" much more quickly on fitting screws than slotted version
- Head removes and is interchangeable with IDEAL 7-in-1 Twist-a-Nut™ Screwdriver shaft (#35-908)
- Head can be used in drill or cordless screwdriver at low RPM
- Universal Wire-Nut® Wire Connector Wrench in handle



Conduit Deburrer Head Only #2 Square Tip

Conduit Deburrer #2 Square Tip

Conduit Deburrer Slotted Tip

Conduit Deburrer Head Only Slotted Tip

Replacement Blades 2 Pack

Twist-a-Nut™ Conduit Wiring Kit



#1 PHILLIPS #2 PHILLIPS



3/16" SLOTTED 1/4" SLOTTED



#1 SQUARE #2 SQUARE



#15 STAR #20 STAR



CONDUIT DEBURRER #2 SQUARE TIP



1/4" NUT DRIVER 5/16" NUT DRIVER



Wire-Nut **Connector Wrench**

Universal connector wrench in handle to help install twist-on wire connectors

- Includes Twist-a-Nut™ Screwdriver (35-908), Twist-a-Nut™ Deburring Head-Square Tip (35-098), Twist-a-Nut™ Tap Tool Shaft (35-923), Three Spare Bits (1/4 in. slotted & #2 square, 3/16 in. slotted & #1 square, #10 & #15 Torx®), 8-Pocket Carrying Pouch (35-927)
- Nylon carrying pouch holds all three Twist-a-Nut™ tools plus room for four replacement bits or taps
- Strong easy-slide metal belt clip



Twist-a-Nut Product Line



| | a | | ا بادا | | | | | | 10:45 | l | اء ۔ ۔ ۔ ا | | |
|-----------------|-------------|-----------------|----------------|-----------------|-------------|---------------|-------------|-------------|------------|-----------------------|------------|------------|-------------|
| | Standard | Standard | Standard | Standard | 7-in-1 | 7-in-1 | 9-in-1 | 21-in-1 | 6-in-1 Tap | BurMaster | BurMaster™ | Triple-Tap | Conduit Kit |
| Item Number | 30-330 | 30-331 | 30-332 | 30-333 | 35-908 | 35-909 | 35-988 | 35-688 | 35-922 | 35-075 | 35-083 | 35-412 | 35-926 |
| Design | Standard | Standard | Standard | Standard | Fixed | Fixed | 2 Ratchets | 1 Ratchet | Tap Tool | Deburrer | Deburrer | Tap Tool | Deburrer |
| Screw Tips | 1 Screw Tip | 1 Screw Tip | 1 Screw Tip | 1 Screw Tip | 4 Screw | 4 Screw | 4 Screw | 15 Screw | - | 1 Screw | 1 Screw | - | 1 Screw |
| Nut Tips | - | - | - | - | 2 Nut | 2 Nut | 3 Nut | 3 Nut | - | - | - | - | - |
| Wire-Nut Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench | 1 Wrench |
| Wire-Looping | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers | 2 Loopers |
| Phillips Tips | | | | | | | | | | | | | |
| #1 | - | - | - | - | #1 Phillips | - | #1 Phillips | #1 Phillips | - | - | - | - | - |
| #2 | | | #2x4" Phillips | - | #2Phillips | - | #2 Phillips | #2 Phillips | - | - | - | - | - |
| #3 | - | - | - | - | - | - | - | #3 Phillips | - | - | - | - | - |
| Slotted Tips | | | | | | | | | | | | | |
| 3/16" | - | - | - | - | 3/16" Slot. | 3/16" Slotted | 3/16" Slot. | 3/16" Slot. | - | - | - | - | 3/16" Slot. |
| 1/4" | - | 1/4" Slot. x 4" | - | 1/4" Slot. x 6" | 1/4" Slot. | 1/4" Slotted | 1/4" Slot. | 1/4" Slot. | - | - | - | - | 1/4" Slot. |
| 5/16" | - | - | - | - | - | - | - | 5/16" Slot. | - | - | - | - | - |
| Square Tips | | | | | | | | | | | | | |
| #1 | - | - | - | - | - | #1 Square | - | #1 Square | - | - | - | - | #1 Square |
| #2 | #2 Sq. x 6" | - | - | - | - | #2 Square | - | #2 Square | - | - | - | - | #2 Square |
| Star | | | | | | | | | | | | | |
| #15 | - | - | - | - | - | - | - | #15 Star | - | - | - | - | - |
| #20 | - | - | - | - | - | - | - | #20 Star | - | - | - | - | - |
| #25 | - | - | - | - | - | - | - | #25 Star | - | - | - | - | - |
| #30 | - | - | - | - | - | - | - | #30 Star | - | - | - | - | - |
| Hex Driver | | | | | | | | | | | | | |
| 3/32" | - | - | - | - | - | - | - | 3/32" Hex | - | - | - | - | - |
| 1/8" | - | - | - | - | - | - | - | 1/8" Hex | - | - | - | - | - |
| 3/16" | - | - | - | - | - | - | - | 3/16" Hex | - | - | - | - | - |
| 5/32" | - | - | - | - | - | - | - | 5/32" Hex | - | - | - | - | - |
| Nut Driver | | | | | | | | | | | | | |
| 1/4" | - | - | - | - | 1/4" Nut | 1/4" Nut | 1/4" Nut | 1/4" Nut | - | - | - | - | - |
| 5/16" | - | - | - | - | 5/16" Nut | 5/16" Nut | 5/16" Nut | 5/16" Nut | - | - | - | - | - |
| 7/16" | - | - | - | - | - | - | 7/16" Nut | 7/16" Nut | - | - | - | - | - |
| Deburrer | | | | | | | | | | | | | |
| Slotted | - | - | - | - | - | - | - | - | - | - | Slot. Tip | - | Slot. Tip |
| Square | - | - | - | - | - | - | - | - | - | Square Tip | - | - | - |
| Tap Tool | | | | | | | | | | | | | |
| 6-32 | - | - | - | - | - | - | - | - | 6-32 | - | - | 6-32 | 6-32 |
| 8-32 | - | - | - | - | - | - | - | - | 8-32 | - | - | 8-32 | 8-32 |
| 10-32 | - | - | - | - | - | - | - | - | 10-32 | - | - | 10-32 | 10-32 |
| 10-24 | - | - | - | - | - | - | - | - | 10-24 | - | - | - | 10-24 |
| 12-24 | - | - | - | - | - | - | - | - | 12-24 | - | - | - | 12-24 |
| 1/4-20 | - | - | - | - | - | - | - | - | 1/4-20 | - | - | - | 1/4-20 |
| | | | | | | | | | | | | | |

Test Equipment Depot - 800.517.8431 - 99 Washington Street Melrose, MA 02176 - TestEquipmentDepot.com