## Traceable® Pocket Thermometer

### Unique, slim-line all-time favorite thermometer

# Plastic and stainless-steel construction make this thermometer ideal for environments where safety is a concern

- Unique, flat-profile design, weight of a single ounce, and built-in pocket clip make it ideal to carry in a shirt pocket
- Measure temperature in soil, cuvettes, test tubes, food products, incubators, petroleum hydrocarbons, and virtually all lab tests
- Probe guard extends overall length to 10¾ inches

#### **Features:**

- MIN/MAX memory with hold button
- °F/°C switchable
- LCD: ¼" high
- Individually serialized, calibrated, and certified Traceable® to NIST

#### Additional features:

- o Probe: 0.14" dia., 31/2" length
- Handy pocket clip provides portability
- Case is high-impact, chemical-resistant plastic

#### Traceable to NIST for accuracy

Multi-point calibration on an individually-numbered Traceable® Certificate which assures accuracy from our ISO/ IEC 17025:2005 (1750.01) calibration laboratory accredited by A2LA. It indicates traceability of measurements to the SI units through NIST or other recognized national measurement institutes (NMI) that are signatories to the CIPM Mutual Recognition Agreement.

	Cat. No.	Range	Resolution	Accuracy
	4050	-58 to 572°F (-50 to 300°C)	0.1° from -20 to 200° (1° otherwise)	±1.5°C
	4350	-58 to 572°F (-50 to 300°C)	0.1° from –20 to 200° (1° otherwise)	±0.4°C at tested points





#### Product Specifications

► Range: -58 to 572°F

(-50 to 300°C)

► Resolution: 0.1° from –20 to

200°C (1° otherwise)

**4050** 

Accuracy: ±1.5°C

**4350** 

Accuracy: ±0.4°C at tested

points

► **Probe:** 0.14" dia., 3½" length

Dimensions: 7" lengthWeight: 1 ounce

► Supplied: battery, probe case,

pocket clip,

Traceable® Certificate